

WHOLEGOODS PRICE LIST
Effective April 23rd, 2026

These pages are a complete revision of this section. All prices are effective as of April 23rd, 2026.

4/23/2026	AMR8577A and AMR8570A Replacement tires added
2/4/2026	AMR8577 and AMR8570 discontinued
1/1/2026	Pricing Update
10/13/2025	Addition of WorkSmart Autosteer
9/1/2025	Pricing Update
8/1/2025	M7991, M7992, M6873 3rd function valve kits to be ordered through Land Pride
4/18/2025	Tire offering AMR8987 added for various M5660, M6060, M7060 models

MX, M60 and M4 SERIES

PAGE	MODEL	PTO H.P.	FACTORY NUMBER	SUGGESTED LIST PRICE
9-6	MX4900DT	41	K24M756M80	\$33,796.00
9-6	MX4900DTC	41	K32M656M80	\$43,671.00
9-6	MX4900HST	41	K26M330M40	\$35,763.00
9-6	MX4900HSTC	41	K34M231M20	\$45,639.00
9-5	MX5400F	47	K21M056M00	\$28,930.00
9-6	MX5400DT	47	K26M844M80	\$36,406.00
9-6	MX5400DTC	47	K34M764M80	\$46,306.00
9-6	MX5400HST	47	K28M429M60	\$38,387.00
9-6	MX5400HSTC	47	K36M332M80	\$48,266.00
9-6	MX6000HST	52	K30M536M00	\$41,020.00
9-6	MX6000HSTC	52	K38M425M60	\$50,882.00
9-14	M5660SUH	50	K24M901M60	\$34,321.00
9-16	M5660SUHD	50	K29M136M00	\$39,376.00
9-24	M6060HFC	56	K36M420M80	\$48,720.00
9-26	M6060HD	56	K31M715M20	\$43,018.00
9-26	M6060HDC	56	K40M420M00	\$53,899.00
9-25	M7060HFC	64	K38M664M80	\$51,359.00
9-27	M7060HD	64	K33M460M00	\$44,781.00
9-27	M7060HDC	64	K42M121M60	\$55,608.00
9-27	M7060HD12	64	K35M712M80	\$47,597.00
9-27	M7060HDC12	64	K44M374M40	\$58,424.00
9-35	M4D-061HDC12	52	K48M215M20	\$63,225.00
9-35	M4-071HDC12	60	K47M014M40	\$61,724.00
9-35	M4D-071HDC12	60	K50M124M80	\$65,612.00

Model	Tire Combination	
MX5400F	ALR8852A	AMXR8861
MX 4WD Models	AMXR8860A	AMXR8861
M5660SUH	AMXR8789A	AMR8901B
M5660SUHD	AMR8576	AMR8987
M6060HFC	AMXR8789A	AMR8901B
M6060HD,M6060HDC	AMR8955C	AMR8901B
M6060HFC	AMXR8789A	AMR8901B
M7060HFC	ALR8708A	AMR8987
M7060HD,M7060HDC,M7060HD12,M6070HDC12	AMR8576	AMR8987
M4D-061HDC12,M4-071HDC12,M4D-071HDC12	AMR8576	AMR8987

MX, M60 and M4 Series

Assembly Charges	Assembly Fee
All ROPS/ Cab Model Tractor Assembly Fee includes basic assembly of tractor including wheels, or cab, front and rear weights	\$ 325.00
All optional hydraulic remote valves and/or flow control valves, order assembled on the tractor All optional hydraulic lever kits ordered and assemble on the tractor Single Cylinder 3-point Lift Assist Kit Dual Cylinder 3-point Lift Cylinder Kit	Included in Tractor Assembly Fee
Loader Assembly Charges	\$ 150.00
ALL OTHER KITS ARE FIELD INSTALLED ONLY.	

MX SERIES

MX4900/MX5400/MX6000

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota V2403 Direct Injection
2.4L (148.6 cu. in.) 4 Cyl
EPA Tier 4 Final Compliant
Turbo Common Rail Electronic Fuel Injection
Alternator- 45 Amp ROPS / 60 Amp CAB
12V 600 (ROPS) / 650 (CAB) CCA Battery

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter)

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump
Max. Flow @ Rated Engine Speed: 2700 RPM
Power Steering: 4.9 gpm
Impl. Flow: 9.5 gpm
Total Flow: 14.4 gpm

REMOTE VALVES

Optional (3) valves Float Detent,
Double Acting

3 POINT HITCH & DRAWBAR

Cat I/ II 3-Point Hitch
@ Lift Points: 2870 lbs
(ASAE)@24" Behind: 2310 lbs
2WD Model - Rigid Lower Links
4WD Model - Telescoping Lower Links
2WD Model - Turn Buckle Stabilizers
4WD Model - Telescoping Stabilizers

POWER TAKE OFF

Live-Independent Hyd. PTO
SAE 1 3/8" Six Spline
540 RPM @ 2700 Eng. RPM

FRONT AXLE

Hydrostatic Power Steering
2WD: Tubular Steel Telescopic
4WD: Cast Iron, Bevel Gear

TRANSMISSION - F / DT

4-Speed Partially Synchronized
8F/8R Two Range
Clutch - Dry
Mechanical Wet Disc Brakes
Rear Differential Lock

TRANSMISSION - HST

3 Range Low/Med/High
Cruise Control Standard
Mechanical Wet Disc Brakes
Left Side Brake Pedals
Rear Differential Lock

FLUID CAPACITY

Fuel Tank Capacity (ROPS): 13.5 gal
Fuel Tank Capacity (CAB): 11.9 gal
Cooling System: 6.9 qts.
Crankcase w/ Filter: 7.4 qts.
Hydraulics/Trans: 11.6 gal.

INSTRUMENTS

Tachometer/Hour meter
Fuel Gauge meter
Coolant Temperature meter
Warning Symbols

TIRES AND WHEELS

2WD: Front 7.5L x 15 R1
Rear 14.9 x 26 R1
4WD: Front 9.5L x 16 R1
Rear 14.9 x 26 R1

LIGHTING

2 Headlights - Tail Lights
2 Hazard Flasher Lights w/ Turn Signals
2 Front Work Lights -CAB ONLY

ROPS OPERATOR PLATFORM

Semi-Flat Deck with Hanging Pedals
Rubber Floor Mat
High Back Seat with Adjustable Suspension
Color Coded Controls
Stationary PTO Switch
Cup Holder

CAB OPERATOR PLATFORM

Semi-Flat Deck with Hanging Pedals
Rubber Floor Mat
High Back Seat with Adjustable Suspension
Tilt-Steering
Color Coded Controls
Stationary PTO Switch
Cup Holder
Interior Light
Internal Rearview Mirror
Front Wiper w/ Washer
A/C & Heater
Speakers & Radio Pre-Wired
Left & Right-Hand Door
Left Hand Step
Horn

SAFETY EQUIPMENT

2 Post Foldable ROPS
ROPS Certified CAB
Retractable Seat Belt
Flip-Up PTO Shield
Safety Start Switches:
Shuttle Lever Neutral
PTO Off
Electric Key Shut Off
Parking Brake
Turn Signals
SMV Sign

Model Specifications					
	<u>MX4900DT</u>	<u>MX4900HST</u>	<u>MX5400 F/DT</u>	<u>MX5400 HST</u>	<u>MX6000</u>
SAE Gross HP:	50.3	51.8	55.5	57.0	63.4
Enging Net HP:	47.7	48.5	53.0	53.8	59.5
Max. PTO HP:	41.3	41.3	46.5	46.5	51.7

MX Series

MX4900/MX5400/MX6000

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
2WD MODELS				
STANDARD MACHINE THIS PRICE IS WITHOUT TIRES				
MX5400F	2WD Utility 2 Post Foldable ROPS Tractor	K21M056M00	3474 lbs	\$ 26,320.00
MX5400F 2WD				
TIRES AND WHEELS [†]		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
AG - BIAS REAR				
ALR8852A	F-TIRE 7.5L-15 F2 Firestone Guide Grip	68 lbs	K2M088M00	\$ 2,610.00
AMXR8861	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs		
AG - BIAS REAR				
ALR8852A	F-TIRE 7.5L-15 F2 Firestone Guide Grip	68 lbs	K2M088M00	\$ 2,610.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs		
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K2M492M80	\$ 3,116.00
AMXR8861	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs		
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K2M492M80	\$ 3,116.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs		
INDUSTRIAL				
AMXR6896	FT TITN 12-16.5 R4 STL 6BLT TL2	102 lbs	K2M688M00	\$ 3,360.00
AMXR6897	RT TITN 17.5L-24 R4 STL 6BLT MXTL2	257 lbs		
TURF				
AMXR8837A	FT TITN 29X12.50-15 R3 STL 6BLT	73 lbs	K2M326M40	\$ 2,908.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	221 lbs		
ALR6818A	① F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	K2M520M00	\$ 3,150.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	227 lbs		

[†] See Tire Section for Individual Tire Pricing and Information

① For field installation, order (12) Spring Washers 04512-60140 from Parts.

MX5400F 2WD				
TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
AG - BIAS REAR				
ALR8852A	F-TIRE 7.5L-15 F2 Firestone Guide Grip	K188M80	68 lbs	\$ 236.00
AMXR8861	R-TIRE 14.9-26 Titan Hi Power Lug TL	K855M20	254 lbs	\$ 1,069.00
ALR8852A	F-TIRE 7.5L-15 F2 Firestone Guide Grip	K188M80	68 lbs	\$ 236.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	K855M20	242 lbs	\$ 1,069.00
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K391M20	75 lbs	\$ 489.00
AMXR8861	R-TIRE 14.9-26 Titan Hi Power Lug TL	K855M20	254 lbs	\$ 1,069.00
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K391M20	75 lbs	\$ 489.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	K855M20	242 lbs	\$ 1,069.00
INDUSTRIAL				
AMXR6896	FT TITN 12-16.5 R4 STL 6BLT TL2	K373M60	102 lbs	\$ 467.00
AMXR6897	RT TITN 17.5L-24 R4 STL 6BLT MXTL2	K970M40	257 lbs	\$ 1,213.00
TURF				
AMXR8837A	FT TITN 29X12.50-15 R3 STL 6BLT	K313M60	73 lbs	\$ 392.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	K849M60	221 lbs	\$ 1,062.00
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	K362M40	70 lbs	\$ 453.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	K897M60	227 lbs	\$ 1,122.00

MX Series

MX4900/MX5400/MX6000

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
4WD MODELS				
STANDARD MACHINE THIS PRICE IS WITHOUT TIRES				
MX4900DT	4WD Utility 2 Post Foldable ROPS	K24M756M80	3716 lbs	\$ 30,946.00
MX4900DTC	4WD Utility Cab Tractor, Gear Transmission	K32M656M80	4251 lbs	\$ 40,821.00
MX4900HST	4WD Utility 2 Post Foldable ROPS, HST Transmission	K26M330M40	3474 lbs	\$ 32,913.00
MX4900HSTC	4WD Utility Cab Tractor, HST Transmission	K34M231M20	4268 lbs	\$ 42,789.00
MX5400DT	4WD Utility 2 Post Foldable ROPS	K26M844M80	3716 lbs	\$ 33,556.00
MX5400DTC	4WD Utility Cab Tractor, Gear Transmission	K34M764M80	4251 lbs	\$ 43,456.00
MX5400HST	4WD Utility 2 Post Foldable ROPS, HST Transmission	K28M429M60	3734 lbs	\$ 35,537.00
MX5400HSTC	4WD Utility Cab Tractor, HST Transmission	K36M332M80	4268 lbs	\$ 45,416.00
MX6000HST	4WD Utility 2 Post Foldable ROPS, HST Transmission	K30M536M00	3734 lbs	\$ 38,170.00
MX6000HSTC	4WD Utility Cab Tractor, HST Transmission	K38M425M60	4268 lbs	\$ 48,032.00

MX4900 / MX5400 / MX6000 4WD		Additional Price With Tire Option			
TIRES AND WHEELS [†]					
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGGESTED LIST PRICE
AG - BIAS REAR					
AMXR8860A	F-TIRE 9.5-16 R1 Gdyl Dura Torque 6stud	78 lbs	K2M280M00	Add	\$ 2,850.00
AMXR8861	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs			
AG - BIAS REAR					
AMXR8860A	F-TIRE 9.5-16 R1 Gdyl Dura Torque 6stud	78 lbs	K2M280M00	Add	\$ 2,850.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs			
INDUSTRIAL					
AMXR6896	FT TITN 12-16.5 R4 STL 6BLT TL2	102 lbs	K2K688M00	Add	\$ 3,360.00
AMXR6897	RT TITN 17.5L-24 R4 STL 6BLT MXTL2	257 lbs			
TURF					
ALR8708A	FT TITN 29X12.5-15 R3 STL 6 BLT	83 lbs	K2K390M40	Add	\$ 2,988.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	221 lbs			
ALR6818A	① F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	K2K520M00	Add	\$ 3,150.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	227 lbs			
R14 Ag/Industrial Hybrid					
AMXR8896	F-TIRE 300/70R16.5 R14T 116A8 GDYR	117 lbs	K3K060M80	Add	\$ 3,826.00
AMXR8897	R-TIRE 440/80R24 R14T 135A8 GDYR	257 lbs			

[†] See Tire Section for Individual Tire Pricing and Information

① For field installation, order (12) Spring Washers 04512-60140 from Parts

MX4900 / MX5400 / MX6000 4WD				
TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
AG - BIAS REAR				
AMXR8860A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	K284M80	78 lbs	\$ 356.00
AMXR8861	R-TIRE 14.9-26 Titan Hi Power Lug TL	K855M20	254 lbs	\$ 1,069.00
AMXR8860A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	K284M80	78 lbs	\$ 356.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	K855M20	242 lbs	\$ 1,069.00
INDUSTRIAL				
AMXR6896	FT TITN 12-16.5 R4 STL 6BLT TL2	K373M60	102 lbs	\$ 467.00
AMXR6897	RT TITN 17.5L-24 R4 STL 6BLT MXTL2	K970M40	257 lbs	\$ 1,213.00
TURF				
ALR8708A	FT TITN 29X12.5-15 R3 STL 6 BLT	K345M60	83 lbs	\$ 432.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	K849M60	221 lbs	\$ 1,062.00
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	K362M40	70 lbs	\$ 453.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	K897M60	227 lbs	\$ 1,122.00
R14 Ag/Industrial Hybrid				
AMXR8896	F-TIRE 300/70R16.5 R14T 116A8 GDYR	K384M80	117 lbs	\$ 481.00
AMXR8897	R-TIRE 440/80R24 R14T 135A8 GDYR	K1M145M60	257 lbs	\$ 1,432.00

MX SERIES

MX4900/MX5400/MX6000

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HITCH/DRAWBAR				
HYDRAULIC REAR REMOTE VALVES				
STANDARD NON-CONTINUOUS FLOW VALVES				
L8303	Double Acting Valve, no Detents Required for 1 st Position Lever Kit compatible with 2 nd and 3 rd Position Lever Kits	K256L00	4 lbs	\$ 320.00
L8304	Float Detent Valve, Required 2 nd Position Lever Kit Not compatible with 1 st or 3 rd Position Lever Kits	K320L80	4 lbs	\$ 401.00
ROPS STANDARD NON-CONTINUOUS FLOW VALVE LEVER KITS				
MX6881A	1 st Position Lever Kit for ROPS, includes Base Kit and 1 st Lever Requires Double Acting Valve Not compatible with Float Detent Valve Only Compatible with MX6882A and MX6883A	K518M40	7 lbs	\$ 648.00
MX6882A	2 nd Position Lever Kit for ROPS, includes Stacking Kit and 2 nd Lever Requires Double Acting OR Float Detent Valve Only Compatible with MX6881A and MX6883A	K258M40	3 lbs	\$ 323.00
MX6883A	3 rd Position Lever Kit for ROPS, includes Stacking Kit and 3 rd Lever Requires Double Acting Flow Valve Not compatible with Float Detent Flow Valve Only Compatible with MX6881A and MX6882A	K258M40	4 lbs	\$ 323.00
MX6881	1st Position Lever Kit for ROPS, includes Base Kit and 1st Lever Requires Double Acting Valve Not compatible with Float Detent Valve Not compatible with MX6882A or MX6883A	K508M00	7 lbs	\$ 635.00
MX6882	2nd Position Lever Kit for ROPS, includes Stacking Kit and 2nd Lever Requires Double Acting OR Float Detent Valve Not compatible with MX6881A or MX6883A Sold at a discounted price upon invoicing. Review Bulletin PIB-2024-015 for details. Subject to Availability	K252M80	3 lbs	\$ 316.00
MX6883	3rd Position Lever Kit for ROPS, includes Stacking Kit and 3rd Lever Requires Double Acting Flow Valve Not compatible with Float Detent Flow Valve Not compatible with MX6881A or MX6882A Sold at a discounted price upon invoicing. Review Bulletin PIB-2024-015 for details. Subject to Availability	K266M40	4 lbs	\$ 333.00
CAB STANDARD NON-CONTINUOUS FLOW VALVE LEVER KITS				
MX6891A	1 st Position Lever Kit for Cab, includes Base Kit and 1 st Lever Requires Double Acting Valve Not compatible with Float Detent Valve Only Compatible with MX6892A and MX6893A	K518M40	15 lbs	\$ 648.00
MX6892A	2 nd Position Lever Kit for Cab, includes Stacking Kit and 2 nd Lever Requires Double Acting OR Float Detent Valve Only Compatible with MX6891A and MX6893A	K258M40	7 lbs	\$ 323.00
MX6893A	3 rd Position Lever Kit for Cab, includes Stacking Kit and 3 rd Lever Requires Double Acting Flow Valve Not compatible with Float Detent Flow Valve Only Compatible with MX6891A and MX6892A	K258M40	4 lbs	\$ 323.00
MX6891	1st Position Lever Kit for Cab, includes Base Kit and 1st Lever Requires Double Acting Valve Not compatible with Float Detent Valve Not compatible with MX6892A or MX6893A Sold at a discounted price upon invoicing. Review Bulletin PIB-2024-015 for details. Subject to Availability	K508M00	15 lbs	\$ 635.00
MX6892	2nd Position Lever Kit for Cab, includes Stacking Kit and 2nd Lever Requires Double Acting OR Float Detent Valve Not compatible with MX6891A or MX6893A Sold at a discounted price upon invoicing. Review Bulletin PIB-2024-015 for details. Subject to Availability	K252M80	7 lbs	\$ 316.00
MX6893	3rd Position Lever Kit for Cab, includes Stacking Kit and 3rd Lever Requires Double Acting Flow Valve Not compatible with Float Detent Flow Valve Not compatible with MX6891A or MX6892A Sold at a discounted price upon invoicing. Review Bulletin PIB-2024-015 for details. Subject to Availability	K266M40	4 lbs	\$ 333.00

MX SERIES

MX4900/MX5400/MX6000

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HITCH/DRAWBAR OPTIONS				
3-POINT TELESCOPIC LINK / STABILIZER KIT				
MX9495	Telescopic Link Ends and Stabilizer Kit Optional for 2WD models, Standard on 4WD models	K410M40	81 lbs	\$ 513.00
DRAFT CONTROL				
MX6884	Draft Control (ROPS ONLY) Not Compatible with Detent Valves	K494M40	11 lbs	\$ 618.00
MX6894	Draft Control (CAB ONLY) Not Compatible with Detent Valves	K668M80	12 lbs	\$ 836.00
DRAWBAR CLEVIS				
MX6831	Drawbar Clevis	K117M60	8 lbs	\$ 147.00
MX6860	Drop Drawbar for MX Series	K125M60	29 lbs	\$ 157.00
TRAILER CONNECTOR				
MX6880	7PIN CONNECTOR KIT MX5400/MX6000 ROPS	K115M20	2 lbs	\$ 144.00
MX6890	7PIN CONNECTOR KT MX5400/MX6000 CAB	K163M20	2 lbs	\$ 204.00
TOP-N-TILT KIT				
L8388A	Top (Cylinder) and Tilt (Cylinder) Kit Not Compatible with BH92 Backhoe	K896M00	41 lbs	\$ 1,120.00

MX SERIES		MX4900/MX5400/MX6000			
DEALER INSTALLED ACCESSORIES					
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE	
ROPS ACCESSORIES					
CANOPY					
E1134	Deluxe Fiberglass Canopy (ROPS Models) Requires E1136 Mounting Kit	K448M00	63 lbs	\$	560.00
E1136	Mounting Kit Includes Brackets/Hardware/Instructions	K222M40	29 lbs	\$	278.00
E1138	Work Light Set for Canopy (Optional 2-lights)	K158M40	3 lbs	\$	198.00
ARMREST KIT					
ZG1341	SEAT ARM REST KIT	0	8 lbs	\$	80.00
CCV HEATER					
MX6812	CCV HEATER KIT MX4900/MX5400/MX6000 ROPS	K531M20	3 lbs	\$	664.00
WORK LIGHT KITS					
E1176	Universal LED Work Light Kit (2 Lights)	K283B20	6 lbs	\$	354.00
CAB ACCESSORIES					
CCV HEATER					
MX6813	CCV HEATER KIT MX4900/MX5400/MX6000 CAB	K531M20	1 lbs	\$	664.00
CAB ACCESSORIES					
MX6801	SIDE MIRROR	K139M20	4 lbs	\$	174.00
MX6895	REAR DEFOGGER MX5400/MX6000 CAB Requires Higher Amp Alternator Kit	K301M60	13 lbs	\$	377.00
MX6802	130A ALTERNATOR KT MX5400/MX6000	K447M20	9 lbs	\$	559.00
L8364	Rear Wiper Kit	K152L80	3 lbs	\$	191.00
ZG1341	SEAT ARM REST KIT	0	8 lbs	\$	80.00
L6026	Air Ride Seat (requires wire harness)	K900L80	77 lbs	\$	1,126.00
MX6027	Wire Harness for Air Ride Seat (required)	K48M80	3 lbs	\$	61.00
L8333	Rear Work Light Kit, (2 Lights)	K140L80	3 lbs	\$	176.00
BALLAST					
BALLAST BOX					
L8170	Ballast Box - 3-Point Mount Up to 1000 lbs of total weight with sand	K537L60	168 lbs	\$	672.00
FRONT WEIGHT BRACKETS					
MX8068	Weight Bracket Able to hold up to 7 Front Suitcase Weights Standard on 2WD Model, Not compatible with Grill Guard Not Compatible with Loader	K102M40	29 lbs	\$	128.00
FRONT SUITCASE WEIGHTS					
BL8069	Suitcase Weight (55 lbs.) Requires Weight Bracket, Bolt Kit, and All Thread Kit	0	55 lbs	\$	91.00
FRONT WEIGHT BOLT/BAR KITS					
BL8049	Bolt/Bar Kit - Weight(s) One Bolt/Bar Kit per 1 Weight	K8L80	1 lbs	\$	11.00
ALL THREAD BOLT KITS					
BL8013	All Thread Kit for Grill Guard	K13L60	2 lbs	\$	17.00
BL8014	All Thread Kit for Weight Bracket	K29L60	3 lbs	\$	37.00

MX SERIES

MX4900/MX5400/MX6000

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ADDITIONAL ACCESSORIES				
BLOCK HEATER	Block Heater	(Order from Parts Department)		
GRILL GUARD MX2268A	Grill Guard Kit for Loader and Non-Loader (hold 4 ft. Wts) Applications with LA1065A Loader, standard with Loader	K303M20	70 lbs	\$ 379.00
RADIATOR HEATER	Radiator Heater	(Order from Parts Department)		
REPLACEMENT ROPS SFMX-F60	Replacement ROPS - Field Installation Required	K780M00	61 lbs	\$ 975.00
REPLACEMENT CAB MX6899	Replacement Cab DT Model - Field Installation Required	K7M432M80	1 lbs	\$ 9,291.00
MX6889	Replacement Cab HST - Field Installation Required	K8M193M60	747 lbs	\$ 10,242.00
REAR WHEEL WEIGHTS				
LM8124	Rear Wheel Weight (103 lbs. each) Set of 2 Weights, Maximum of 3 Sets Requires Bolt Kit Not Compatible with Turf Tires	K414M40	103 lbs	\$ 518.00
REAR WHEEL WEIGHT BOLT KITS LM8125A	Bolt Kit for LM8124 Weight One Kit per Weight Set	K69M60	5 lbs	\$ 87.00
M8121A	Bolt Kit for 2nd and 3rd Set of Rear Wheel Weights One Kit per Weight Set	K33M60	8 lbs	\$ 42.00

MX SERIES

MX4900/MX5400/MX6000

Front End Loader

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT END LOADER				
LA1065A	Front End Loader Includes Mounting Kit, Parking Stands, 2-Lever QA Coupler, and Grill Guard DOES NOT INCLUDE VALVE, BUCKET or ROD LEVEL INDICATOR, must be ordered separately	K4M776M80	1322 lbs	\$ 5,971.00
LOADER VALVE				
MX2131	Loader Valve for ROPS	K810M40	46 lbs	\$ 1,013.00
MX2132	Loader Valve for CAB	K810M40	72 lbs	\$ 1,013.00

LOADER ACCESSORIES

LOADER LEVEL INDICATOR				
MX2140	Bucket/Attachment Level Indicator (Rod Type)	K79M20	7 lbs	\$ 99.00
THIRD FUNCTION - ROPS ONLY				
380-312A	3rd Function Valve w/ Flat-Faced Coupler Kit from Land Pride			(Order from Land Pride)
380-331A	3rd Function Valve w/ Pioneer Coupler Kit from Land Pride			(Order from Land Pride)
THIRD FUNCTION - CAB ONLY				
380-311A	3rd Function Valve w/ Flat-Faced Coupler Kit from Land Pride			(Order from Land Pride)
380-330A	3rd Function Valve w/ Pioneer Coupler Kit from Land Pride			(Order from Land Pride)

BUCKETS & ACCESSORIES

BUCKETS / CUTTING EDGES ALL 2-LEVER TYPE QA				
L2296	72" Quick Attach Heavy Duty Round Back Bucket	K1M167M20	400 lbs	\$ 1,459.00
L2236	72" Quick Attach Light Material Bucket	K708L00	323 lbs	\$ 885.00
L2235A	72" Quick Attach Square Back Bucket	K752M80	346 lbs	\$ 941.00
BUCKET ACCESSORIES				
TL1748	72" Bolt-on Reversible Cutting Edge for Heavy Duty Round Back Bucket	0	70 lbs	\$ 301.00
BALE SPEARS				
L2237	Bale Spear 2 Lever Type QA	K1L459L20	165 lbs	\$ 1,824.00

PALLET FORK FRAME / PALLET FORKS

L2238	Pallet Fork Frame 2 Lever QA Requires Pallet Forks	K1L359L20	165 lbs	\$ 1,699.00
K9048	36" Pallet Forks	K432L00	176 lbs	\$ 540.00
K9058	42" Pallet Forks	K520M00	196 lbs	\$ 650.00

MX SERIES

MX4900/MX5400/MX6000

Backhoes

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
BACKHOE & ACCESSORIES				
BH92	Backhoe, 9 ft. digging depth NOT COMPATIBLE WITH CAB MODELS Requires Mounting Kit and Bucket	K8L862L40	1696 lbs	\$ 11,078.00
BACKHOE MOUNTING KIT				
BH4978	Backhoe Subframe Kit for ROPS	K1M380M00	292 lbs	\$ 1,725.00
BACKHOE ACCESSORIES				
BH4949	6-Position Mechanical Thumb	K972L80	141 lbs	\$ 1,216.00
BT4598	Hydraulic Thumb Requires Valve Kit	K2M212M00	142 lbs	\$ 2,765.00
BH4948	Hydraulic Thumb Valve Kit	K958L40	23 lbs	\$ 1,198.00
BT4550	Quick Coupler	K719L20	55 lbs	\$ 899.00
RUBBER FLIP PADS				
L9467	Rubber Flip Pad - 2 Required per Order	K132L80	15 lbs	\$ 166.00
PIN-ON TYPE BUCKETS				
BT3001	12" Bucket (1.19 cu. ft. Struck / 1.47 cu. ft. Heaped)	K715L20	109 lbs	\$ 894.00
BT3002A	16" Bucket (1.67 cu. ft. Struck / 2.16 cu. ft. Heaped)	K811L20	130 lbs	\$ 1,014.00
BT3003A	18" Bucket (1.91 cu. ft. Struck / 2.51 cu. ft. Heaped)	K864L00	141 lbs	\$ 1,080.00
BT3004	24" Bucket (2.63 cu. ft. Struck / 3.60 cu. ft. Heaped)	K1L004L80	172 lbs	\$ 1,256.00
BT3005A	30" Bucket (3.34 cu. ft. Struck / 4.69 cu. ft. Heaped)	K1L160L00	205 lbs	\$ 1,450.00
BT3006	36" Bucket (4.06 cu. ft. Struck / 5.78 cu. ft. Heaped)	K1L295L20	226 lbs	\$ 1,619.00
QUICK COUPLER TYPE BUCKETS				
BT4552	12" Bucket (1.19 cu. ft. Struck / 1.47 cu. ft. Heaped) Requires Quick Coupler	K866M40	117 lbs	\$ 1,083.00
BT4553	16" Bucket (1.67 cu. ft. Struck / 2.16 cu. ft. Heaped) Requires Quick Coupler	K916L00	135 lbs	\$ 1,145.00
BT4554	18" Bucket (1.91 cu. ft. Struck / 2.51 cu. ft. Heaped) Requires Quick Coupler	K963L20	144 lbs	\$ 1,204.00
BT4555	24" Bucket (2.63 cu. ft. Struck / 3.60 cu. ft. Heaped) Requires Quick Coupler	K1L138L40	176 lbs	\$ 1,423.00
BT4557	36" Bucket (4.06 cu. ft. Struck / 5.78 cu. ft. Heaped) Requires Quick Coupler	K1L449L60	223 lbs	\$ 1,812.00

MX SERIES	MX4900/MX5400/MX6000
Approved Attachments	
See Website for Landpride Attachments List	

M60 SERIES

M5660SUH/M5660SUHD

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota V2403 Direct Injection
2.4L (148.5 cu. in.) 4 Cyl
EPA Tier 4 Final Compliant
Common Rail Electronic Fuel Injection
Electronic Engine Management
Constant rpm Management
Turbocharged
45 Amp Alternator ROPS
12V 600 CCA Battery

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter)

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump
Max. Flow @ Rated Engine Speed: 2600 rpm
Power Steering: 6.1 gpm
Impl. Flow: 10.6 gpm
Total Flow: 16.5 gpm

REMOTE VALVES

(1) SCD (Self Canceling Detent)

3 POINT HITCH & DRAWBAR

Cat II/I 3-point Hitch
@ Lift Points: 4189 lbs
(ASAE)@24" Behind: 3307 lbs
Telescoping Lower Links
Telescoping Stabilizers
Swinging Drawbar - Straight

POWER TAKE OFF (540)

Live-Independent Hyd. PTO
SAE 1 3/8" Six Spline
540 rpm @ 2295 Eng. rpm
540/540E Economy PTO Optional
Provides 540 PTO @ 1942 Eng. rpm

TRANSMISSION

Eight Speed
Fully Synchronized Transmission
8F/ 8R Hydraulic-Shuttle
Planetary Final Drives
Rear Differential Lock

FRONT AXLE

Hydrostatic Power Steering
2WD: Tubular Steel Beam Telescoping
4WD: Cast Iron, Bevel Gear 55 Deg

FLUID CAPACITY

Fuel Tank Capacity: 17.2 gal.
Cooling System: 8.5 qts.
Crankcase: 7.6 qts.
Hydraulics/Trans: 50.7 qts.
Front Axle 4WD: 6.9 qts.

INSTRUMENTS

Tachometer/Hour meter
Oil Pressure
Fuel Gauge
Coolant Temperature

TIRES AND WHEELS

2WD: Front 6.50 x 16 F2
Rear 14.9 x 28 R1
4WD: Front 8.3 x 24 R1
Rear 14.9 x 28 R1

OPERATOR PLATFORM

Semi-Flat Deck with Hanging Pedals
High Back Seat with
Adjustable Suspension
Color Coded Controls
Cup Holder

LIGHTING

2 Headlights - Tail lights
2 Hazard Flasher Lights w/
Turn Signals

SAFETY EQUIPMENT

2-post, ROPS Certified
Retractable Seat belt
Flip-Up PTO Shield
Safety Start Switches:
Shuttle Lever Neutral
PTO Off
Electric Key Shut Off
Parking Brake
Turn Signals
SMV Sign

Model Specifications

M5660SUH 2WD

SAE Gross HP: 57.9
Engine Net HP: 56
Max. PTO HP: 50

M5660SUHD 4WD

SAE Gross HP: 57.9
Engine Net HP: 56
Max. PTO HP: 50

M60 Series

M5660SUH/M5660SUHD

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	-------------------	---------------------	-------------------------

2WD MODELS				
STANDARD MACHINE THIS PRICE IS WITHOUT TIRES				
M5660SUH	2WD Utility 2 Post Foldable ROPS Tractor	K24M901M60	4189 lbs	\$ 31,127.00
M5660SUH 2WD				

TIRES AND WHEELS†		Additional Price with Tire Option			
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE	
AG - BIAS REAR					
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K2M555M20	Add	\$ 3,194.00
AMR8901B	R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs			
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K3K070M40	Add	\$ 3,838.00
AMR8913B	R-TIRE 16.9-28 R1 Firestone (SAT) II	299 lbs			
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K4K169M60	Add	\$ 5,212.00
AMR8565	R-TIRE 14.9-28 R1 F-STONE SAT II/CST	600 lbs			
AG - RADIAL REAR					
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K5M238M64	Add	\$ 6,548.20
AMR8570	R-TIRE 420/70R28 R1W ALLIANCE 370 Cast	650 lbs			
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K5M238M56	Add	\$ 6,548.20
AMR8570A	R-TIRE 420/70R28 R1W ALLIANCE 470 Cast	661 lbs			
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K3K025M38	Add	\$ 3,781.60
AMR8577	R-TIRE 420/70R28 R1W ALLIANCE 370	300 lbs			
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K3K020M80	Add	\$ 3,776.00
AMR8577A	R-TIRE 420/70R28 R1W ALLIANCE 470 Steel	311 lbs			
INDUSTRIAL					
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K2K820M80	Add	\$ 3,526.00
AMR8907	RT TITN 16.9-24 TLII R4 STL 8BLT	267 lbs			
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	K2K454M40	Add	\$ 3,068.00
ALR8917	R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	267 lbs			
TURF					
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	K2K913M60	Add	\$ 3,642.00
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	261 lbs			
ALR8708A	FT TITN 29X12.5-15 R3 STL 6 BLT	83 lbs	K2K422M40	Add	\$ 3,028.00
AMR8987	RT TITN 21.5L-16.1SL R3 STL 8 BLT	212 lbs			

- † See Tire Section for Individual Tire Pricing and Information
- ① Not approved for Backhoe applications.
 - ② Recommended for loader applications, increases base weight by approx. 600 lbs.
 - ③ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation
 - ④ Requires (12) - (04512-60140) spring washers

M60 Series

M5660SUH/M5660SUHD

M5660SUH 2WD				
TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
AG - BIAS REAR				
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K391M20	75 lbs	\$ 489.00
AMR8901B	R-TIRE 14.9-28 R1 Firestone (SAT) II	K886M40	255 lbs	\$ 1,108.00
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K391M20	75 lbs	\$ 489.00
AMR8913B	R-TIRE 16.9-28 R1 Firestone (SAT) II	K1M144M00	299 lbs	\$ 1,430.00
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K391M20	75 lbs	\$ 489.00
AMR8565	R-TIRE 14.9-28 R1 F-STONE SAT II/CST	K1M693M60	600 lbs	\$ 2,117.00
AG - RADIAL				
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K391M20	75 lbs	\$ 489.00
AMR8570	R-TIRE 420/70R28 R1W ALLIANCE 370 Cast	K2M228M12	650 lbs	\$ 2,785.10
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K391M20	75 lbs	\$ 489.00
AMR8570A	R-TIRE 420/70R28 R1W ALLIANCE 470 Cast	K2M228M08	661 lbs	\$ 2,785.10
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K391M20	75 lbs	\$ 489.00
AMR8577	R-TIRE 420/70R28 R1W ALLIANCE 370	K1M121M49	300 lbs	\$ 1,401.80
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K391M20	75 lbs	\$ 489.00
AMR8577A	R-TIRE 420/70R28 R1W ALLIANCE 470 Steel	K1M119M20	311 lbs	\$ 1,399.00
TURF				
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	K362M40	70 lbs	\$ 453.00
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	K1M094M40	261 lbs	\$ 1,368.00
ALR8708A	FT TITN 29X12.5-15 R3 STL 6 BLT	K345M60	83 lbs	\$ 432.00
AMR8987	RT TITN 21.5L-16.1SL R3 STL 8 BLT	K865M60	212 lbs	\$ 1,082.00
INDUSTRIAL				
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K391M20	75 lbs	\$ 489.00
AMR8907	RT TITN 16.9-24 TLII R4 STL 8BLT	K1M019M20	267 lbs	\$ 1,274.00
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K264M00	75 lbs	\$ 330.00
ALR8917	R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	K963L20	267 lbs	\$ 1,204.00

- ① Not approved for Backhoe applications.
- ② Recommended for loader applications, increases base weight by approx. 600 lbs.
- ③ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation
- ④ Requires (12) - (04512-60140) spring washers

M60 Series

M5660SUH/M5660SUHD

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

4WD MODELS

STANDARD MACHINE THIS PRICE IS WITHOUT TIRES

M5660SUHD	4WD Utility 2 Post Foldable ROPS Tractor	K29M136M00	4387 lbs	\$ 36,420.00
-----------	--	------------	----------	--------------

M5660SUH 4WD		Additional Price with Tire Option		
TIRES AND WHEELS†		Weight Each	FACTORY NUMBER	SUGGESTED LIST PRICE
AG - BIAS				
AMR8553	F-TIRE 9.5-22 R1	136 lbs	K3M046M40	\$ 3,808.00
AMR8901B	R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs		
AMR8553	F-TIRE 9.5-22 R1	136 lbs	K4K660M80	\$ 5,826.00
AMR8565	R-TIRE 14.9-28 R1 F-STONE SAT II/CST	600 lbs		
AMR8564	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	150 lbs	K3K332M80	\$ 4,166.00
AMR8901B	R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs		
AMR8564	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	150 lbs	K4K947M20	\$ 6,184.00
AMR8565	R-TIRE 14.9-28 R1 F-STONE SAT II/CST	600 lbs		
AG - RADIAL				
AMR8564	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	150 lbs	K3K802M98	\$ 4,753.60
AMR8577	R-TIRE 420/70R28 R1W ALLIANCE 370	300 lbs		
AMR8564	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	150 lbs	K3K798M40	\$ 4,748.00
AMR8577A	R-TIRE 420/70R28 R1W ALLIANCE 470 Steel	311 lbs		
AMR8564	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	150 lbs	K6K016M24	\$ 7,520.20
AMR8570	R-TIRE 420/70R28 R1W ALLIANCE 370 Cast	650 lbs		
AMR8564	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	150 lbs	K6K016M16	\$ 7,520.20
AMR8570A	R-TIRE 420/70R28 R1W ALLIANCE 470 Cast	661 lbs		
INDUSTRIAL				
AMR8788	FT TITN 14-17.5 TLII R4 STL 8BLT	155 lbs	K3K243M20	\$ 4,054.00
AMR8907	RT TITN 16.9-24 TLII R4 STL 8BLT	267 lbs		
AMR8797	F-TIRE 14-17.5 R4 WITH 0.55" INSET	168 lbs	K3K321M60	\$ 4,152.00
ALR8917	R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	267 lbs		
TURF				
AMR8526	F-TIRE LSW305-521R3 Grizz LSW Soft Turf	113 lbs	K3K078M40	\$ 3,848.00
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S,TF 5.75	261 lbs		
AMR8576	F-TIRE 31X13.5-15 R3 MULTI-TRAC TURF	92 lbs	K2K364M80	\$ 2,956.00
AMR8987	RT TITN 21.5L-16.1SL R3 STL 8 BLT	212 lbs		

† See Tire Section for Individual Tire Pricing and Information

- ① Not approved for Backhoe applications.
- ② Recommended for loader applications, increases base weight by approx. 600 lbs.
- ③ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation

M60 Series

M5660SUH/M5660SUHD

M5660SUHD 4WD				
TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
AG - BIAS REAR				
AMR8553	F-TIRE 9.5-22 R1	K636M80	136 lbs	\$ 796.00
AMR8901B	R-TIRE 14.9-28 R1 Firestone (SAT) II	K886M40	255 lbs	\$ 1,108.00
AMR8553	F-TIRE 9.5-22 R1	K636M80	136 lbs	\$ 796.00
AMR8565	R-TIRE 14.9-28 R1 F-STONE SAT II/CST	K1M693M60	600 lbs	\$ 2,117.00
AMR8564	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	K780M00	150 lbs	\$ 975.00
AMR8901B	R-TIRE 14.9-28 R1 Firestone (SAT) II	K886M40	255 lbs	\$ 1,108.00
AMR8564	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	K780M00	150 lbs	\$ 975.00
AMR8565	R-TIRE 14.9-28 R1 F-STONE SAT II/CST	K1M693M60	600 lbs	\$ 2,117.00
AG - RADIAL				
AMR8564	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	K780M00	150 lbs	\$ 975.00
AMR8577	R-TIRE 420/70R28 R1W ALLIANCE 370	K1M121M49	300 lbs	\$ 1,401.80
AMR8564	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	K780M00	150 lbs	\$ 975.00
AMR8577A	R-TIRE 420/70R28 R1W ALLIANCE 470 Steel	K1M119M20	311 lbs	\$ 1,399.00
AMR8564	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	K780M00	150 lbs	\$ 975.00
AMR8570	R-TIRE 420/70R28 R1W ALLIANCE 370 Cast	K2M228M12	650 lbs	\$ 2,785.10
AMR8564	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	K780M00	150 lbs	\$ 975.00
AMR8570A	R-TIRE 420/70R28 R1W ALLIANCE 470 Cast	K2M228M08	661 lbs	\$ 2,785.10
TURF				
AMR8526	F-TIRE LSW305-521R3 Grizz LSW Soft Turf	K444M80	113 lbs	\$ 556.00
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	K1M094M40	261 lbs	\$ 1,368.00
AMR8576	F-TIRE 31X13.5-15 R3 MULTI-TRAC TURF	K316M80	92 lbs	\$ 396.00
AMR8987	RT TITN 21.5L-16.1SL R3 STL 8 BLT	K865M60	212 lbs	\$ 1,082.00
INDUSTRIAL				
AMR8788	FT TITN 14-17.5 TLII R4 STL 8BLT	K602M40	155 lbs	\$ 753.00
AMR8907	RT TITN 16.9-24 TLII R4 STL 8BLT	K1M019M20	267 lbs	\$ 1,274.00
AMR8797	F-TIRE 14-17.5 R4 WITH 0.55" INSET	K697M60	168 lbs	\$ 872.00
ALR8917	R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	K963L20	267 lbs	\$ 1,204.00

❑ Not approved for Backhoe applications.

② Recommended for loader applications, increases base weight by approx. 600 lbs.

③ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation

M60 Series

M5660SUH/M5660SUHD

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE	
HYDRAULICS/HITCH/DRAWBAR					
HYDRAULIC REAR REMOTE VALVES					
M7610	SCD (Self Canceling Detent)	K764M00	13 lbs	\$	955.00
M7611	FD (Float Detent)	K754M40	11 lbs	\$	943.00
REMOTE VALVE LEVER KITS					
M7692	2nd Position Lever Kit	K156M00	4 lbs	\$	195.00
M7693	3rd Position Lever Kit	K156M00	3 lbs	\$	195.00
DRAWBAR CLEVIS					
M9534	Drawbar Clevis	K95M20	12 lbs	\$	119.00
TRANSMISSION					
DUAL SPEED PTO KITS					
M7690	540/540E Economy PTO	K1M123M20	72 lbs	\$	1,404.00
FRONT & REAR AXLE					
FRONT FENDER KIT (SWIVEL TYPE)					
M9290	Fender Mounting Kit Requires Plastic Fenders Not Compatible with Loader Applications Not Compatible with 2WD Tractors	K834M40	68 lbs	\$	1,043.00
M9208	Plastic Fenders Includes two 14.9" wide Fenders Requires two (2) part # 3C294-43300 Pre-Drilled Front Wheel Case Supports Requires Fender Mounting Kit	K118M40	7 lbs	\$	148.00
WIDE ROW FRONT AXLE KIT					
	Tie Rod End Extension, Requires 2 Not Compatible with Loader Applications (SUH 2WD Only)	(Order from Parts Department)			
REAR AXLE SPACER KIT					
M9564	Rear Axle Space Kit, adds 2 inches per side Provides 72" spacing with Ag Tires	K1M192M80	52 lbs	\$	1,491.00
ROPS ACCESSORIES					
CANOPY					
E1134	Deluxe Fiberglass Canopy (ROPS Models) Requires Mounting Kit	K448M00	63 lbs	\$	560.00
E1136	Mounting Kit	K222M40	29 lbs	\$	278.00
E1138	Work Light Set for Canopy (Optional 2-lights)	K158M40	3 lbs	\$	198.00
REAR WORK LIGHT					
M7630	Rear Working Auxilary Light (Maximum 1 Light/Tractor)	K96M00	3 lbs	\$	120.00

M60 SERIES

M5660SUH/M5660SUHD

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
BALLAST				
FRONT WEIGHT BRACKETS				
M8070	Weight Bumper (85 lbs.) Includes Mounting Bolt Kit Up to 8 Front Suitcase Weights Not Compatible with Loader	K453M60	95 lbs	\$ 567.00
M8075	Weight Bumper (230 lbs. each), Optional Up to 10 Front Suitcase Weights Requires Bolt Kit Requires Bolt/Bar Kit to mount weights Not Compatible with Loader	K616M80	223 lbs	\$ 771.00
M1875A	Front Weight Bracket (59 lbs) for Loader application Requires Bolt/Bar Kit to mount weights Up to 7 Front Suitcase Weights Loader must be detached.	K235M20	63 lbs	\$ 294.00
M1059	Front Weight Bracket Kit for Loader Application Requires Bolt/Bar Kit to mount weights Up to 8 Front Suitcase Weights Loader must be detached	K167M20	57 lbs	\$ 209.00
FRONT SUITCASE WEIGHTS				
M8079	Suitcase Weight Requires Front Weight Bumper and Bolt/Bar Kit	K109M60	102 lbs	\$ 137.00
FRONT WEIGHT BOLT/BAR KITS				
M8076	Front Bumper Bolt Kit for M8075	K65M60	4 lbs	\$ 82.00
M8074A	Bolt/Bar Kit for M1875A and M8070 One Kit per 8 Front Suitcase Weights	K68M00	8 lbs	\$ 85.00
M8073A	Bolt/Bar Kit for M8075 One Kit per 10 Front Suitcase Weights	K70M40	10 lbs	\$ 88.00

M60 SERIES

M5660SUH/M5660SUHD

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE	
BALLAST					
REAR WEIGHT WEIGHTS					
LM8124	Rear Wheel Weight (103 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 24" or 26" Wheels Not Compatible with Turf Tires	K414M40	103 lbs	\$	518.00
M8126A	Wheel Weight Kit (164 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 28" Wheels	K486M40	164 lbs	\$	608.00
REAR WHEEL WEIGHT BOLT KITS					
M8119B	Bolt Kit for 1st Wheel Weight Kit on Cast Dish Wheels	K31M20	6 lbs	\$	39.00
LM8125A	Bolt Kit to 1st Wheel Weight Kit on Steel Dish Wheels	K69M60	5 lbs	\$	87.00
M8127B	Bolt Kit use for 2nd and 3rd Set of M8126A Weights Required for 2nd & 3rd Set on ALL Steel Dish Wheels Required for 2nd Set on Cast Dish Wheels	K28M80	6 lbs	\$	36.00
M8121A	Bolt Kit for 2nd and 3rd Set of LM8124 Weights One Bolt Kit per Weight Set	K33M60	8 lbs	\$	42.00
BALLAST BOX					
M8180	Ballast Box - 3-Point Mount 1280 lbs Capacity with Dry Sand (13 cu. ft.)	K722M40	220 lbs	\$	903.00
ADDITIONAL ACCESSORIES					
BLOCK HEATER					
	Block Heater	(Order from Parts Department)			
CCV Heater Kit					
M3188	CCV Heater Kit, M5660SU	K1M207M20	22 lbs	\$	1,509.00
GRILL GUARD					
M1876A	Grill Guard Kit Compatible with M8075 Front Bumper Weight	K217M60	57 lbs	\$	272.00
ARMREST KIT					
ZG1341	Arm rest Kit	0	8 lbs	\$	80.00
HAND GRIP					
	Hand Grip RH	(Order from Parts Department)			
REPLACEMENT ROPS					
SFM-F70SUH	Replacement ROPS - Field Installation Required	K922M40	175 lbs	\$	1,153.00

M60 SERIES

M5660SUH/M5660SUHD

Front End Loader

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT END LOADER				
LA1154SU	Front Loader (2 Lever Type Quick Coupler) Includes Mounting Kit, Loader Valve and Joystick, Parking Stands, and 2 Lever QA Coupler DOES NOT INCLUDE BUCKET or GRILL GUARD, must be ordered separately	K6M512M80	1330 lbs	\$ 8,141.00
LOADER ACCESSORY KITS				
3RD FUNCTION VALVE				
M7949	3rd Function Valve	K1M176M80	56 lbs	\$1,471.00
BUCKETS / CUTTING EDGES ALL 2-Lever Type QA				
M1811	72" 2 Lever Quick Attach	K755M20	400 lbs	\$944.00
M1815	84" Bucket High Capacity, 2 Lever QA For Light Material Use	K1M006M40	400 lbs	\$1,258.00
L2245A	72" 4-in-1 Bucket Requires 3rd Function	K2M580M00	675 lbs	\$3,225.00
M9247	72" Hay Grapple Bucket 4 Tines, 2-Hyd. Cylinders, 2 Lever Quick Coupler Requires 3rd Function Valve Requires 2-Hyd. 1/2" QA couplers, .375 fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face)	K5M823M20	1090 lbs	\$7,279.00
BUCKET ACCESSORIES				
M1057	Bucket Tine Kit for 72" 2 Lever QA Bucket	K392M80	79 lbs	\$491.00
BALE SPEARS				
M1804	Bale Spear 2 Lever Type QA	K820M00	195 lbs	\$1,025.00
PALLET FORK FRAME / PALLET FORKS				
M1809	Pallet Fork Frame 2 Lever QA Requires 42" or 48" Forks	K760M00	200 lbs	\$950.00
K9058	42" Pallet Forks	K520M00	196 lbs	\$650.00
K9059	48" Pallet Forks	K542M40	218 lbs	\$678.00

M60 SERIES

M5660SUH/M5660SUHD

Approved Attachments

See Website for Landpride Attachments List

M60 SERIES

M6060/M7060

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota V3307 Direct Injection
3.3L (203 cu. in.) 4 Cyl
EPA Tier 4 Emission Certified
Common Rail Electronic Fuel Injection
Electronic Engine Management
Constant RPM Management
Turbocharged
45 Amp Alternator - ROPS
60 Amp Alternator - Cab
12V 700 CCA Battery

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter)

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump
Max. Flow @ Rated Engine Speed: 2600 RPM
Power Steering: 6.1 gpm
Impl. Flow: 11.0 gpm
Impl. Flow, 12 Speed: 16.2 gpm
Total Flow: 17.1 gpm
Total Flow, 12 Speed: 22.3 gpm

REMOTE VALVES

(1) SCD (Self Canceling Detent)

3 POINT HITCH & DRAWBAR

Cat I/II 3-Point Hitch
@ Lift Points: 4190 lbs
(ASAE)@24" Behind: 3307 lbs
Telescoping Lower Links
Telescoping Stabilizers
Swinging Drawbar - Straight

POWER TAKE OFF

Live-Independent Hyd. PTO
SAE 1 3/8" Six Spline
540 RPM @ 2295 Eng. RPM
540/540E Economy PTO Optional (12 Speed Standard)
Provides 540 PTO @ 1942 Eng. RPM

TRANSMISSION

Fully Synchronized Transmission
8F/ 8R or 12F / 12R Hydraulic-Shuttle
Planetary Final Drives
Rear Differential Lock

FRONT AXLE

Hydrostatic Power Steering
2WD: Tubular Steel Beam Telescoping
4WD: Cast Iron, Bevel Gear 55 Deg

FLUID CAPACITY

Fuel Tank Capacity ROPS: 18.5 gal
Fuel Tank Capacity Cab: 23.8 gal
Cooling System: 8.5 qts
Crankcase: 11.6 qts
Hydraulics/Trans: 59.2 qts
Front Axle 4WD: 5.8 qts

INSTRUMENTS

Tachometer/Hour meter
Oil Pressure
Fuel Gauge
Coolant Temperature

TIRES AND WHEELS

2WD: Front 9.5L x 15 F2
Rear 16.9 x 28 R1
4WD: Front 9.5 x 24 R1
Rear 16.9 x 28 R1

OPERATOR PLATFORM

Semi-Flat Deck with Hanging Pedals
High Back Seat with Adjustable
Suspension
Color Coded Controls
Cup Holder

Cab (Ultra Grand Cab)

Integral factory ROPS Certified
Flat Deck
Suspension Seat w/ Retractable
Seat Belt and Armrests
Dual Level Air Conditioning & Heater
Front Wiper w/ Washer - 2 Speed
Radio Ready, includes 2 Speakers
Antenna and Wiring Harness
2 Doors, Frameless all glass
Left & Right Side Steps
Sun Visor
Tilt Steering Wheel
Interior Dome Light
Accessory Plug 12V -15 Amp
Cup Holder
Ashtray
Horn

LIGHTING

2 Headlights - Tail lights
2 Hazard Flasher Lights w/
Turn Signals

CAB LIGHTING

2 Front Work Lights
2 Rear Work Lights

SAFETY EQUIPMENT

2 Post, ROPS Certified
Retractable Seat Belt
Flip-Up PTO Shield
Safety Start Switches:
Shuttle Lever Neutral
PTO - OPC Alarm 10 Sec.
Electric Key Shut Off
Parking Brake
Turn Signals
SMV Sign

Model Specifications

M6060

SAE Gross HP: 66.4
Engine Net HP: 64.1
Max . PTO HP: 56

M7060

SAE Gross HP: 72.1
Engine Net HP: 71.9
Max . PTO HP: 62

M60 Series

M6060

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

2WD MODELS

STANDARD MACHINE THIS PRICE IS WITHOUT TIRES

M6060HFC	2WD Utility Cab Tractor	K36M420M80	5226 lbs	\$45,526.00
----------	-------------------------	------------	----------	-------------

M6060HFC 2WD		Additional Price With Tire Option		
TIRES AND WHEELS†		SUGGESTED LIST PRICE		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
AG - BIAS REAR				
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K3M070M40	Add
AMR8913B	R-TIRE 16.9-28 R1 Firestone (SAT) II	299 lbs		
				\$ 3,838.00
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K4K169M60	Add
AMR8565	R-TIRE 14.9-28 R1 F-STONE SAT II/CST	600 lbs		
				\$ 5,212.00
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K2K555M20	Add
AMR8901B	R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs		
				\$ 3,194.00
TURF				
ALR8708A	FT TITN 29X12.5-15 R3 STL 6 BLT	83 lbs	K2K422M40	Add
AMR8987	RT TITN 21.5L-16.1SL R3 STL 8 BLT	212 lbs		
				\$ 3,028.00
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	K2K913M60	Add
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	261 lbs		
				\$ 3,642.00

TIRES AND WHEELS (priced per piece)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
AG - BIAS REAR				
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K264M00	75 lbs	\$ 330.00
AMR8913B	R-TIRE 16.9-28 R1 Firestone (SAT) II	K1M144M00	299 lbs	\$ 1,430.00
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K391M20	75 lbs	\$ 489.00
AMR8565	R-TIRE 14.9-28 R1 F-STONE SAT II/CST	K1M693M60	600 lbs	\$ 2,117.00
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K391M20	75 lbs	\$ 489.00
AMR8901B	R-TIRE 14.9-28 R1 Firestone (SAT) II	K886M40	255 lbs	\$ 1,108.00
AG - RADIAL REAR				
TURF				
ALR8708A	FT TITN 29X12.5-15 R3 STL 6 BLT	K345M60	83 lbs	\$ 432.00
AMR8987	RT TITN 21.5L-16.1SL R3 STL 8 BLT	K865M60	212 lbs	\$ 1,082.00
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K264M00	75 lbs	\$ 330.00
AMR8938	R-TIRE 18.4-26 R3 (ANS) 17mm holes	K1M182M40	310 lbs	\$ 1,478.00
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	K362M40	70 lbs	\$ 453.00
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	K1M094M40	261 lbs	\$ 1,368.00

† See Tire Section for Individual Tire Pricing and Information

** Subject to Availability

- ① Recommended for loader applications, increases base weight by approx. 600 lbs.
- ② Requires 16 Shoulder Lug Nuts, order (16) 3A111-97810 Shoulder Lug Nuts for Field Installation from Parts Department.
- ③ Not approved for Backhoe applications.
- ④ For field installation, requires (12) 36500-49410 Spring Washers from Parts Department.

M60 Series

M7060

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

2WD MODELS

STANDARD MACHINE THIS PRICE IS WITHOUT TIRES

M7060HFC	2WD Utility Cab Tractor	K38M664M80	5248 lbs	\$ 48,331.00
----------	-------------------------	------------	----------	--------------

M7060HFC 2WD		Additional Price With Tire Option				
TIRES AND WHEELS†						
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE		
AG - BIAS REAR						
AMXR8789A AMR8932D	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB R-TIRE 16.9-30 R1 DuraTorq 17mm holes	75 lbs 341 lbs	K3M100M80	Add	\$ 3,876.00	
AMXR8789A AMR8935D	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	75 lbs 618 lbs	K4K324M80	Add	\$ 5,406.00	
AMR8980B AMR8932D	F-TIRE 10.00-16 F2 Champ Guide Grip TL R-TIRE 16.9-30 R1 DuraTorq 17mm holes	91 lbs 341 lbs	K2K977M60	Add	\$ 3,722.00	
AMR8980B AMR8935D	F-TIRE 10.00-16 F2 Champ Guide Grip TL R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	91 lbs 618 lbs	K4K201M60	Add	\$ 5,252.00	
TURF						
AMXR8789A AMR8938	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB R-TIRE 18.4-26 R3 (ANS) 17mm holes	75 lbs 310 lbs	K3K147M20	Add	\$ 3,934.00	
ALR8708A AMR8987	FT TITN 29X12.5-15 R3 STL 6 BLT RT TITN 21.5L-16.1SL R3 STL 8 BLT	83 lbs 212 lbs	K2K422M40	Add	\$ 3,028.00	
ALR6818A AMR8541	F-TIRE LSW305R343 R3 Titan Grizz LSW 430 R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	70 lbs 261 lbs	K2K913M60	Add	\$ 3,642.00	

TIRES AND WHEELS (priced per piece)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
AG - BIAS REAR				
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K391M20	75 lbs	\$ 489.00
AMR8932D	R-TIRE 16.9-30 R1 DuraTorq 17mm holes	K1M159M20	341 lbs	\$ 1,449.00
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K391M20	75 lbs	\$ 489.00
AMR8935D ①②	R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	K1M771M20	618 lbs	\$ 2,214.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K329M60	91 lbs	\$ 412.00
AMR8932D	R-TIRE 16.9-30 R1 DuraTorq 17mm holes	K1M159M20	341 lbs	\$ 1,449.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K329M60	91 lbs	\$ 412.00
AMR8935D ①②	R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	K1M771M20	618 lbs	\$ 2,214.00
TURF				
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K391M20	75 lbs	\$ 489.00
AMR8938	R-TIRE 18.4-26 R3 (ANS) 17mm holes	K1M182M40	310 lbs	\$ 1,478.00
ALR8708A	FT TITN 29X12.5-15 R3 STL 6 BLT	K345M60	83 lbs	\$ 432.00
AMR8987	RT TITN 21.5L-16.1SL R3 STL 8 BLT	K865M60	212 lbs	\$ 1,082.00
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	K362M40	70 lbs	\$ 453.00
AMR8541 ④	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	K1M094M40	261 lbs	\$ 1,368.00

† See Tire Section for Individual Tire Pricing and Information
① Recommended for loader applications, increases base weight by approx. 600 lbs.
② For field installation of Cast Iron Dish, requires 16 Shoulder Lug Nuts, order (16) 3A111-97810 Shoulder Lug Nuts from Parts Department.
③ Not approved for Backhoe applications.
④ For field installation, requires (12) 36500-49410 Spring Washers from Parts Department.

M60 Series

M6060

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

4WD MODELS

STANDARD MACHINE THIS PRICE IS WITHOUT TIRES

M6060HD	4WD Utility 2 Post Foldable ROPS Tractor	K31M715M20	5358 lbs	\$39,644.00
M6060HDC	4WD Utility Cab Tractor	K40M420M00	5358 lbs	\$50,525.00

M6060 4WD		Additional Price With Tire Option			
TIRES AND WHEELS†					
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGGESTED LIST PRICE
AG - BIAS REAR					
AMR8955C AMR8901B	F-TIRE 9.5-24 R1 Goodyear Dura Torque R-TIRE 14.9-28 R1 Firestone (SAT) II	130 lbs 255 lbs	K2M699M20	Add	\$ 3,374.00
AMR8955C AMR8913B	F-TIRE 9.5-24 R1 Goodyear Dura Torque R-TIRE 16.9-28 R1 Firestone (SAT) II	130 lbs 299 lbs	K3K214M40	Add	\$ 4,018.00
AMR8955C AMR8565	F-TIRE 9.5-24 R1 Goodyear Dura Torque R-TIRE 14.9-28 R1 F-STONE SAT II/CST	130 lbs 600 lbs	K4M313M60	Add	\$ 5,392.00
AG - RADIAL REAR					
AMR8586 AMR8577	F-TIRE 320/85R20 R1W ALCE FRMPRO R-TIRE 420/70R28 R1W ALLIANCE 370	166 lbs 300 lbs	K3K562M98	Add	\$ 4,453.60
AMR8586 AMR8577A	F-TIRE 320/85R20 R1W ALCE FRMPRO R-TIRE 420/70R28 R1W ALLIANCE 470 Steel	166 lbs 311 lbs	K3K558M40	Add	\$ 4,448.00
AMR8586 AMR8570	F-TIRE 320/85R20 R1W ALCE FRMPRO R-TIRE 420/70R28 R1W ALLIANCE 370 Cast	166 lbs 650 lbs	K5K776M24	Add	\$ 7,220.20
AMR8586 AMR8570A	F-TIRE 320/85R20 R1W ALCE FRMPRO R-TIRE 420/70R28 R1W ALLIANCE 470 Cast	166 lbs 661 lbs	K5K776M16	Add	\$ 7,220.20
TURF					
AMR8526 AMR8541	F-TIRE LSW305-521R3 Grizz LSW Soft Turf R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	113 lbs 261 lbs	K3K078M40	Add	\$ 3,848.00
INDUSTRIAL					
AMR8818 AMR8907	FT TITN 12.5/80-18 TLII R4 STL 8BLT RT TITN 16.9-24 TLII R4 STL 8BLT	159 lbs 267 lbs	K3K334M40	Add	\$ 4,168.00
AMR8808 ALR8917	F-TIRE 12.5/80-18 I3 Ttn Contrac 8stud R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	159 lbs 267 lbs	K3K334M40	Add	\$ 4,168.00

TIRES AND WHEELS (priced per piece)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
AG - BIAS REAR				
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	K463M20	130 lbs	\$ 579.00
AMR8901B	R-TIRE 14.9-28 R1 Firestone (SAT) II	K886M40	255 lbs	\$ 1,108.00
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	K463M20	130 lbs	\$ 579.00
AMR8913B	R-TIRE 16.9-28 R1 Firestone (SAT) II	K1M144M00	299 lbs	\$ 1,430.00
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	K463M20	130 lbs	\$ 579.00
AMR8565 □	R-TIRE 14.9-28 R1 F-STONE SAT II/CST	K1M693M60	600 lbs	\$ 2,117.00
AG - RADIAL REAR				
AMR8586	F-TIRE 320/85R20 R1W ALCE FRMPRO	K660M00	166 lbs	\$ 825.00
AMR8577	R-TIRE 420/70R28 R1W ALLIANCE 370	K1M121M49	300 lbs	\$ 1,401.80
AMR8586	F-TIRE 320/85R20 R1W ALCE FRMPRO	K660M00	166 lbs	\$ 825.00
AMR8577A	R-TIRE 420/70R28 R1W ALLIANCE 470 Steel	K1M119M20	311 lbs	\$ 1,399.00
AMR8586	F-TIRE 320/85R20 R1W ALCE FRMPRO	K660M00	166 lbs	\$ 825.00
AMR8570 ⊕	R-TIRE 420/70R28 R1W ALLIANCE 370 Cast	K2M228M12	650 lbs	\$ 2,785.10
AMR8586	F-TIRE 320/85R20 R1W ALCE FRMPRO	K660M00	166 lbs	\$ 825.00
AMR8570A □	R-TIRE 420/70R28 R1W ALLIANCE 470 Cast	K2M228M08	661 lbs	\$ 2,785.10
TURF				
AMR8526	F-TIRE LSW305-521R3 Grizz LSW Soft Turf	K444M80	113 lbs	\$ 556.00
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	K1M094M40	261 lbs	\$ 1,368.00
INDUSTRIAL				
AMR8818	FT TITN 12.5/80-18 TLII R4 STL 8BLT	K648M00	159 lbs	\$ 810.00
AMR8907	RT TITN 16.9-24 TLII R4 STL 8BLT	K1M019M20	267 lbs	\$ 1,274.00
AMR8808	F-TIRE 12.5/80-18 I3 Ttn Contrac 8stud	K704M00	159 lbs	\$ 880.00
ALR8917	R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	K963L20	267 lbs	\$ 1,204.00

† See Tire Section for Individual Tire Pricing and Information

① Recommended for loader applications, increases base weight by approx. 600 lbs.

② For field installation, requires (12) 04512-60140 Spring Washers from Parts Department.

③ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation

M60 Series

M7060

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
4WD MODELS				
STANDARD MACHINE THIS PRICE IS WITHOUT TIRES				
M7060HD	4WD Utility 2 Post Foldable ROPS Tractor	K33M460M00	5248 lbs	\$41,825.00
M7060HDC	4WD Utility Cab Tractor	K42M121M60	5248 lbs	\$52,652.00
M7060HD12	4WD Utility 2 Post Foldable ROPS Tractor	K35M712M80	5380 lbs	\$44,641.00
M7060HDC12	4WD Utility Cab Tractor	K44M374M40	5380 lbs	\$55,468.00

M7060 4WD		Additional Price With Tire Option				
TIRES AND WHEELS†						
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGGESTED LIST PRICE	
AG - BIAS REAR						
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	K3M244M80	Add	\$ 4,056.00	
AMR8932D	R-TIRE 16.9-30 R1 DuraTorq 17mm holes	341 lbs				
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	K4K468M80	Add	\$ 5,586.00	
AMR8935D ①③	R-TIRE 16.9-30 R1 Gdylr DuraTorq Cast	618 lbs				
MR8956	F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	98 lbs	K2K499M20	Add	\$ 3,124.00	
MR8924C	RT TITN 16.9-24 R1 STL 8BLT	263 lbs				
AG - RADIAL REAR						
AMR8605	F-TIRE LSW320/70R24 GDYR OPTI R1W	220 lbs	K3K617M60	Add	\$ 4,522.00	
AMR8616A	RT TITN 420/75R34 142D R1W 8BOLT	460 lbs				
AMR8605	F-TIRE LSW320/70R24 GDYR OPTI R1W	220 lbs	K6M448M00	Add	\$ 8,060.00	
AMR8640 ①⑦⑤	R-TIRE LSW 420/75R34 GDYR OPTI R1W CST	949 lbs				
TURF						
AMR8576	F-TIRE 31X13.5-15 R3 MULTI-TRAC TURF	92 lbs	K2K364M80	Add	\$ 2,956.00	
AMR8987	RT TITN 21.5L-16.1SL R3 STL 8 BLT	212 lbs				
MR8954B	F-TIRE 9.50-24 R3 Gdylr All Weather TL	113 lbs	K3K296M00	Add	\$ 4,120.00	
AMR8938	R-TIRE 18.4-26 R3 (ANS) 17mm holes	310 lbs				
AMR8526	F-TIRE LSW305-521R3 Grizz LSW Soft Turf	113 lbs	K3K078M40	Add	\$ 3,848.00	
AMR8541 ④	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	261 lbs				
INDUSTRIAL						
AMR8788	FT TITN 14-17.5 TLII R4 STL 8BLT	155 lbs	K3K243M20	Add	\$ 4,054.00	
AMR8907	RT TITN 16.9-24 TLII R4 STL 8BLT	267 lbs				
AMR8797	F-TIRE 14-17.5 R4 WITH 0.55" INSET	168 lbs	K3K321M60	Add	\$ 4,152.00	
ALR8917	R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	267 lbs				
AG/INDUSTRIAL HYBRID						
AMR8040	F-TIRE LSW320/70R24 GDYR R14T	195 lbs	K3M824M00	Add	\$ 4,780.00	
AMR8047A	RT TITN 420/75R34 142D R14T 8 BOLT	422 lbs				
AMR8040	F-TIRE LSW320/70R24 GDYR R14T	195 lbs	K6M744M00	Add	\$ 8,430.00	
AMR8089	RT TITN 420/75R34 142D R14T CST 8BLT	949 lbs				

† See Tire Section for Individual Tire Pricing and Information

① Recommended for loader applications, increases base weight by approx. 600-1100 lbs.

② Not approved for Backhoe applications.

③ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation

④ For field installation, requires (16) 04512-60140 Spring Washers from Parts Department.

For field installation, requires (16) [33251-49170] Lug Nuts from Parts Department.

M60 Series

M7060

TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
AG - BIAS REAR				
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	K463M20	130 lbs	\$ 579.00
AMR8932D	R-TIRE 16.9-30 R1 DuraTorq 17mm holes	K1M159M20	341 lbs	\$ 1,449.00
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	K463M20	130 lbs	\$ 579.00
AMR8935D ①③	R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	K1M771M20	618 lbs	\$ 2,214.00
MR8956	F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	K336M00	98 lbs	\$ 420.00
MR8924C	RT TITN 16.9-24 R1 STL 8BLT	K913M60	263 lbs	\$ 1,142.00
AG - RADIAL REAR				
AMR8605 ⑤	F-TIRE LSW320/70R24 GDYR OPTI R1W	K600M00	220 lbs	\$ 750.00
AMR8616A	RT TITN 420/75R34 142D R1W 8BOLT	K1M208M80	460 lbs	\$ 1,511.00
AMR8605	F-TIRE LSW320/70R24 GDYR OPTI R1W	K600M00	220 lbs	\$ 750.00
AMR8640 ①⑦⑥	R-TIRE LSW 420/75R34 GDYR OPTI R1W CST	K2M624M00	949 lbs	\$ 3,280.00
TURF				
AMR8576	F-TIRE 31X13.5-15 R3 MULTI-TRAC TURF	K316M80	92 lbs	\$ 396.00
AMR8987	RT TITN 21.5L-16.1SL R3 STL 8 BLT	K865M60	212 lbs	\$ 1,082.00
MR8954B	F-TIRE 9.50-24 R3 Gdyr All Weather TL	K465M60	113 lbs	\$ 582.00
AMR8938	R-TIRE 18.4-26 R3 (ANS) 17mm holes	K1M182M40	310 lbs	\$ 1,478.00
AMR8526 ④	F-TIRE LSW305-521R3 Grizz LSW Soft Turf	K444M80	113 lbs	\$ 556.00
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	K1M094M40	261 lbs	\$ 1,368.00
INDUSTRIAL				
AMR8788	FT TITN 14-17.5 TLII R4 STL 8BLT	K602M40	155 lbs	\$ 753.00
AMR8907	RT TITN 16.9-24 TLII R4 STL 8BLT	K1M019M20	267 lbs	\$ 1,274.00
AMR8797	F-TIRE 14-17.5 R4 WITH 0.55" INSET	K697M60	168 lbs	\$ 872.00
ALR8917	R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	K963L20	267 lbs	\$ 1,204.00
AG/INDUSTRIAL HYBRID				
AMR8040	F-TIRE LSW320/70R24 GDYR R14T	K640M80	195 lbs	\$ 801.00
AMR8047A	RT TITN 420/75R34 142D R14T 8 BOLT	K1M271M20	422 lbs	\$ 1,589.00
AMR8040	F-TIRE LSW320/70R24 GDYR R14T	K640M80	195 lbs	\$ 801.00
AMR8089	RT TITN 420/75R34 142D R14T CST 8BLT	K2M731M20	949 lbs	\$ 3,414.00

① Recommended for loader applications, increases base weight by approx. 600-1100 lbs.

② Not approved for Backhoe applications.

③ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation

④ For field installation, requires (16) 04512-60140 Spring Washers from Parts Department.

⑤ Steering Stops must be adjusted if 60" centers are required.

For field installation, requires (16) [33251-49170] Lug Nuts from Parts Department.

M60 Series

M6060/M7060

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HITCH/DRAWBAR				
HYDRAULIC REAR REMOTE VALVES				
M7604	SCD (Self Canceling Detent) for ROPS	K764M00	13 lbs	\$ 955.00
M7605	FD (Float Detent) for ROPS	K754M40	11 lbs	\$ 943.00
M7610	SCD (Self Canceling Detent) for CAB	K764M00	13 lbs	\$ 955.00
M7611	FD (Float Detent) for CAB	K754M40	11 lbs	\$ 943.00
REMOTE VALVE LEVER KITS				
M7607	2nd Position Lever Kit for ROPS	K156M00	3 lbs	\$ 195.00
M7608	3rd Position Lever Kit for ROPS	K156M00	5 lbs	\$ 195.00
M7687	2nd Position Lever Kit for Cab	K156M00	4 lbs	\$ 195.00
M7688	3rd Position Lever Kit for Cab	K156M00	3 lbs	\$ 195.00
TOP-N-TILT KIT				
Land Pride Top-N-Tilt Kit			(Order from Land Pride)	
DRAWBAR CLEVIS				
M9594	Drawbar Clevis	K77M60	10 lbs	\$ 97.00
DROP DRAWBAR				
M9201	Drop Drawbar	K133M60	21 lbs	\$ 167.00
TRANSMISSION				
CREEP SPEED KITS				
M7691	Creep Speed Cassette Type for 8-Speed Transmission	K743M20	15 lbs	\$ 929.00
M7680	Creep Speed Cassette Type for 12-Speed Transmission	K743M20	15 lbs	\$ 929.00
DUAL SPEED PTO KITS				
M7690	540/540E Economy PTO	K1M123M20	72 lbs	\$ 1,404.00
FRONT & REAR AXLE				
FRONT FENDER KIT (SWIVEL TYPE)				
M9290	Fender Mounting Kit Requires Plastic Fenders Not Compatible with Loader Applications Not Compatible with 2WD Tractors Requires two (2) part # 3C294-43300 Pre-Drilled Front Wheel Case Supports	K834M40	68 lbs	\$ 1,043.00
M9208	Plastic Fenders Includes two 14.9" wide Fenders Requires Fender Mounting Kit	K118M40	7 lbs	\$ 148.00
REAR AXLE SPACER KIT				
M9564	Rear Axle Space Kit, adds 2 inches per side Provides 72" spacing with Ag Tires	K1M192M80	52 lbs	\$ 1,491.00

M60 Series

M6060/M7060

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ROPS ACCESSORIES				
CANOPY				
E1134	Deluxe Fiberglass Canopy (ROPS Models) Requires Mounting Kit	K448M00	63 lbs	\$ 560.00
E1136	Mounting Kit	K222M40	29 lbs	\$ 278.00
E1138	Work Light Set for Canopy (Optional 2-lights)	K158M40	3 lbs	\$ 198.00
DOWN EXHAUST PIPE KIT				
M7956	Pipe Kit	K367M20	19 lbs	\$ 459.00
HIGH CAPACITY ALTERNATOR KIT				
M7965	100 Amp High Capacity Alternator Kit	K558M40	10 lbs	\$ 698.00
REAR WORK LIGHT				
M7630	Rear Working Auxiliary Light for ROPS Maximum 1 Light per Tractor	K96M00	3 lbs	\$ 120.00

CAB ACCESSORIES

M7649	Rear Window Wiper Kit	K258M40	4 lbs	\$ 323.00
M9270	Air Ride Seat Suspension Kit Requires Wire Harnes (M9205)	K607M20	49 lbs	\$ 759.00
M9205	Air Ride Seat Wire Harness	K24M00	1 lbs	\$ 30.00
M7698	Elec-Defogger Kit and 100 Amp Alternator	K848M00	60 lbs	\$ 1,060.00
M7964	Mid Mount Work Light Kit Requires High Capacity Alternator Kit	K381M60	8 lbs	\$ 477.00
	Monitor Bracket, Universal Type	(Order from Parts Department)		
	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long	(Order from Parts Department)		
HIGH CAPACITY ALTERNATOR KIT				
M7965	100 Amp High Capacity Alternator Kit	K558M40	10 lbs	\$ 698.00
JENSEN RADIO OPTIONS				
	Radio, AM/FM/WB/AUX	(Order from Parts Department)		
	Radio, AM/FM/WB/AUX/USB/IPOD/SAT	(Order from Parts Department)		
	Radio, AM/FM/WB/AUX/USB/IPOD/SAT/CD/Bluetooth	(Order from Parts Department)		

ADDITIONAL ACCESSORIES

BLOCK HEATER				
	Block Heater	(Order from Parts Department)		
CCV Heater Kit				
M3197	CCV Heater Kit, M6060/7060 CAB	K1M005M60	22 lbs	\$ 1,257.00
M3131	CCV Heater Kit, M6060/7060 ROPS	K704M90	22 lbs	\$ 1,007.00
GRILL GUARD				
M6872	Grill Guard Kit Compatible with M8075 front bumper weight Not Compatible with M1875A front weight bracket	K260M00	57 lbs	\$ 325.00
FLOOR MAT				
	Rubber Floor Mat Order (7) 67955-51340 fasteners for mounting	(Order from Parts Department)		
REPLACEMENT CAB				
M7034	Replacement Ultra Grand Cab 8 speed - Field Installation Required	K8M648M00	1000 lbs	\$ 10,810.00
M7035	Replacement Ultra Grand Cab 12 speed - Field Installation Required	K8M403M20	1000 lbs	\$ 10,504.00
REPLACEMENT ROPS				
	Replacement ROPS - Field Installation Required	(Order from Parts Department)		

KubotaNOW/ TELEMATICS

Each order will require the DCU6770 modem and wiring harness as listed below:				
DCU6770	AT&T Telematics Modem	0	1 lbs	\$ 490.00
M6713	M Series Telematics Harness	K92M80	1 lbs	\$ 116.00
KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525				

M60 Series

M6060/M7060

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
BALLAST				
FRONT WEIGHT BRACKETS				
M8075	Front Weight Bumper (230 lbs. each) Standard for 2WD models Requires Bolt Kit Up to 10 Front Suitcase Weights	K616M80	223 lbs	\$ 771.00
FRONT SUITCASE WEIGHTS				
M8079	Suitcase Weight Requires Front Weight Bumper and Bolt/Bar Kit Not Compatible with Loader	K109M60	102 lbs	\$ 137.00
FRONT WEIGHT BOLT/BAR KITS				
M8076	Front Bumper Bolt Kit for M8075 Standard on 2WD Models	K65M60	4 lbs	\$ 82.00
M8073A	Bolt/Bar Kit for M8075 One Kit per 10 Front Suitcase Weights	K70M40	10 lbs	\$ 88.00
REAR WHEEL WEIGHTS				
LM8124	Rear Wheel Weight Kit (103 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 24" or 26" Steel Dish Wheels Not Compatible with Turf Tires	K414M40	103 lbs	\$ 518.00
M8126A	Rear Wheel Weight Kit (164 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 28", 30", and 34" Wheels	K486M40	164 lbs	\$ 608.00
REAR WHEEL WEIGHT BOLT KITS				
M8119B	Bolt Kit for 1st Wheel Weight Kit on Cast Dish Wheels	K31M20	6 lbs	\$ 39.00
LM8125A	Bolt Kit for 1st Wheel Weight Kit on Steel Dish Wheels	K69M60	5 lbs	\$ 87.00
M8127B	Bolt Kit for 2nd and 3rd Set of M8126A Weights Required for 2nd & 3rd Set on ALL Steel Dish Wheels Required for 2nd Set on Cast Dish Wheels	K28M80	6 lbs	\$ 36.00
M8121A	Bolt Kit for 2nd and 3rd Set of LM8124 Weights One Bolt Kit per Weight Set	K33M60	8 lbs	\$ 42.00
BALLAST BOX				
M8180	Ballast Box - 3-Point Mount 1280 lbs. Capacity with Dry Sand (13 cu. ft.)	K722M40	220 lbs	\$ 903.00

M60 Series

M6060/M7060

FRONT END LOADER

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT END LOADER				
LA1154A	Front Loader (2 Lever Type Quick Coupler) Includes Mounting Kit, Parking Stands, Quick Coupler and Grill Guard DOES NOT INCLUDE VALVE, BUCKET must be ordered separately	K5M650M40	1543 lbs	\$ 7,063.00

VALVE KITS

M7995	Standard Valve Kit for ROPS	K1M078M40	75 lbs	\$ 1,348.00
M7996	Standard Valve Kit for Cab	K1M078M40	81 lbs	\$ 1,348.00
M7998	Hydraulic Self-Leveling Valve Kit for ROPS	K2M037M60	101 lbs	\$ 2,547.00
M7999	Hydraulic Self-Leveling Valve Kit for Cab	K2M037M60	92 lbs	\$ 2,547.00

LOADER ACCESSORY KITS

3RD FUNCTION VALVE				
M7991	3rd Function Valve Kit for ROPS		(Order through Land Pride) PIB-2025-029	
M7992	3rd Function Valve Kit for Cab		(Order through Land Pride) PIB-2025-029	
SHOCKLESS RIDE				
M7993	KSR (Kubota Shockless Ride) Accumulator	K660M80	47 lbs	\$ 826.00
QUICK CONNECT				
M1869	Hydraulic Quick Connect Single Lever	K764M80	22 lbs	\$ 956.00

QA BUCKETS & ACCESSORIES

M1811	72" 2 Lever QA Bucket	K755M20	400 lbs	\$ 944.00
M1815	84" Bucket High Capacity, 2 Lever QA For Light Material Use	K1M006M40	400 lbs	\$ 1,258.00
L2245A	72" 4-in-1 Bucket Requires 3rd Function Valve	K2M580M00	675 lbs	\$ 3,225.00
M9247	72" Hay Grapple Bucket 4 Tines, 2-Hyd. Cylinders, 2 Lever QA Coupler Requires 3rd Function Valve Requires 2- Hyd. 1/2" QA couplers, .375 fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face)	K5M823M20	1090 lbs	\$ 7,279.00
BUCKET ACCESSORIES				
M1057	Bucket Tine Kit for 72" 2 Lever QA Bucket	K392M80	79 lbs	\$ 491.00
BALE SPEARS				
M1804	Bale Spear 2 Lever Type QA	K820M00	195 lbs	\$ 1,025.00

PALLET FORM FRAME / PALLET FORKS

M1809	Pallet Fork Frame 2 Lever QA Requires 42" or 48" Forks	K760M00	200 lbs	\$ 950.00
K9058	42" Pallet Forks	K520M00	196 lbs	\$ 650.00
K9059	48" Pallet Forks	K542M40	218 lbs	\$ 678.00

M60 SERIES

M6060/M7060

Approved Attachments

See Website for Landpride Attachments List

M4 SERIES

M4 Standard and Deluxe

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota V3307 Direct Injection
3.3L (203 cu. in.) 4 Cyl
EPA Tier 4 Emission Certified
Common Rail Electronic Fuel Injection
Electronic Engine Management
Constant RPM Management
Turbocharged
130 Amp Alternator
12V 900 CCA Battery

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter)

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump
Max. Flow @ Rated Engine Speed: 2400 RPM
Power Steering: 6.3 gpm
Impl. Flow: 16.7 gpm
Total Flow

REMOTE VALVES

M4 Standard (1) SCD (Self Canceling Detent)

M4 Deluxe (2) SCD (Self Canceling Detent) FD (Floating Detent)

3 POINT HITCH & DRAWBAR

Cat I/II 3-Point Hitch
@ Lift Points: 4189
(ASAE)@24" Behind: 3307
Telescoping Lower Links
Telescoping Stabilizers
Swinging Drawbar - Straight

POWER TAKE OFF

Live-Independent Hyd. PTO
SAE 1 3/8" Six Spline
540 RPM @ 2160 Eng. RPM
540/540E Economy Optional on Standard Model
Provides 540 PTO @ 1828 Eng. RPM

TRANSMISSION

Fully Synchronized Transmission
12F / 12R Electro Hydraulic-Shuttle
Electronic De-clutch Button
Planetary Final Drives
Rear Differential Lock

FRONT AXLE

Hydrostatic Power Steering
4WD: Cast Iron, Bevel Gear 55 Deg

FLUID CAPACITY

Fuel Tank Capacity Cab:	23.8 gal
Cooling System:	10.6 qts
Crankcase:	12.7 qts
Hydraulics/Trans:	50.8 qts
Front Axle 4WD:	5.8 qts

INSTRUMENTS

Tachometer/Hour meter
Oil Pressure
Fuel Gauge
Coolant Temperature

TIRES AND WHEELS

4WD: Front 320/70R24
Rear 420/75R34

CAB (Ultra Grand Cab Category II)

Category 2 Pressurized
Flat Deck
Suspension Seat w/ Retractable
Seat Belt and Adjustable Armrests
Adjustable backrest and headrest
Dual Level Air Conditioning & Heater
Front Wiper w/ Washer - 2 Speed
Radio Ready, includes 2 Speakers
Antenna and Wiring Harness
2 Doors, Frameless all glass
Left & Right Side Steps
High Visibility Roof Panel
Sun Visor
Tilt Steering Wheel
Interior Dome Light
Accessory Plug 12V -15 Amp
Cup Holder
Ashtray
Horn
Interior Console Light

LIGHTING

2 Headlights - Tail lights
2 Hazard Flasher Lights w/
Turn Signals

CAB LIGHTING

Standard: Halogen
Deluxe: LED

2 Front Work Lights
2 Rear Work Lights

SAFETY EQUIPMENT

Backup Alarm Ready
Beacon Light Ready
Retractable Seat Belt
Flip-Up PTO Shield
Safety Start Switches:
Shuttle Lever Neutral
PTO - OPC Alarm 10 Sec.
Electric Key Shut Off
Parking Brake
Turn Signals
SMV Sign
Deluxe: Electric 4wd Engagment

Model Specifications

M4-061

SAE Gross HP: 66.4
Engine Net HP: 60.9
Max . PTO HP: 52

M4-071

SAE Gross HP: 72.1
Engine Net HP: 68.7
Max . PTO HP: 60

M4 SeriesM4 Standard and Deluxe

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
4WD MODELS				
STANDARD MACHINE THIS PRICE IS WITHOUT TIRES				
M4D-061HDC12	4WD Deluxe Utility Cab Tractor	K48M215M20	5358 lbs	\$60,269.00
M4-071HDC12	4WD Utility Cab Tractor	K47M014M40	5380 lbs	\$58,768.00
M4D-071HDC12	4WD Deluxe Utility Cab Tractor	K50M124M80	5380 lbs	\$62,656.00

M4 Series		Additional Price With Tire Option			
TIRES AND WHEELS†					
ORDER CODE		DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
AG - BIAS REAR					
AMR8955C		F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	K3M244M80	Add \$ 4,056.00
AMR8932D		R-TIRE 16.9-30 R1 DuraTorq 17mm holes	341 lbs		
AMR8955C		F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	K4M468M80	Add \$ 5,586.00
AMR8935D	(5)	R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	618 lbs		
MR8956		F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	98 lbs	K2M499M20	Add \$ 3,124.00
MR8924C		RT TITN 16.9-24 R1 STL 8BLT	263 lbs		
AG - RADIAL REAR					
AMR8605	(6)	F-TIRE LSW320/70R24 GDYR OPTI R1W	220 lbs	K3M617M60	Add \$ 4,522.00
AMR8616A	(3)	RT TITN 420/75R34 142D R1W 8BOLT	460 lbs		
AMR8605	(6)	F-TIRE LSW320/70R24 GDYR OPTI R1W	220 lbs	K6M448M00	Add \$ 8,060.00
AMR8640	(1)(2)(4)	R-TIRE LSW 420/75R34 GDYR OPTI R1W CST	949 lbs		
TURF					
AMR8576		F-TIRE 31X13.5-15 R3 MULTI-TRAC TURF	92 lbs	K2K364M80	Add \$ 2,956.00
AMR8987		RT TITN 21.5L-16.1SL R3 STL 8 BLT	212 lbs		
MR8954B		F-TIRE 9.50-24 R3 Gdyr All Weather TL	113 lbs	K3M296M00	Add \$ 4,120.00
AMR8938		R-TIRE 18.4-26 R3 (ANS) 17mm holes	310 lbs		
AMR8526	(3)	F-TIRE LSW305-521R3 Grizz LSW Soft Turf	113 lbs	K3M078M40	Add \$ 3,848.00
AMR8541		R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	261 lbs		
INDUSTRIAL					
AMR8788		FT TITN 14-17.5 TLII R4 STL 8BLT	155 lbs	K3M243M20	Add \$ 4,054.00
AMR8907		RT TITN 16.9-24 TLII R4 STL 8BLT	267 lbs		
AMR8797		F-TIRE 14-17.5 R4 WITH 0.55" INSET	168 lbs	K3M321M60	Add \$ 4,152.00
ALR8917		R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	267 lbs		
AG/INDUSTRIAL HYBRID					
AMR8040		F-TIRE LSW320/70R24 GDYR R14T	195 lbs	K3M824M00	Add \$ 4,780.00
AMR8047A		RT TITN 420/75R34 142D R14T 8 BOLT	422 lbs		
AMR8040		F-TIRE LSW320/70R24 GDYR R14T	195 lbs	K6M744M00	Add \$ 8,430.00
AMR8089	(7)	RT TITN 420/75R34 142D R14T CST 8BLT	949 lbs		

† See Tire Section for Individual Tire Pricing and Information
① Recommended for loader applications, increases base weight by approx. 1100 lbs.
③ For field installation, requires (16) 04512-60140 Spring Washers from Parts Department.
④ For field installation, requires (16) [33251-49170] Lug Nuts from Parts Department.
⑤ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation
⑥ Steering Stops must be adjusted if 60" centers are required.
⑦ For field installation, requires (12) 0Y202-50100 Lug Nuts from Parts Department

M4 Series

M4 Standard and Deluxe

TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
AG - BIAS REAR				
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	K463M20	130 lbs	\$ 579.00
AMR8932D	R-TIRE 16.9-30 R1 DuraTorq 17mm holes	K1M159M20	341 lbs	\$ 1,449.00
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	K463M20	130 lbs	\$ 579.00
AMR8935D	R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	K1M771M20	618 lbs	\$ 2,214.00
MR8956	F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	K336M00	98 lbs	\$ 420.00
MR8924C	RT TITN 16.9-24 R1 STL 8BLT	K913M60	263 lbs	\$ 1,142.00
AG - RADIAL REAR				
AMR8605	(5) F-TIRE LSW320/70R24 GDYR OPTI R1W	K600M00	220 lbs	\$ 750.00
AMR8616A	(3) RT TITN 420/75R34 142D R1W 8BOLT	K1M208M80	460 lbs	\$ 1,511.00
AMR8605	(6) F-TIRE LSW320/70R24 GDYR OPTI R1W	K600M00	220 lbs	\$ 750.00
AMR8640	(1)(4) R-TIRE LSW 420/75R34 GDYR OPTI R1W CST	K2M624M00	949 lbs	\$ 3,280.00
TURF				
AMR8576	F-TIRE 31X13.5-15 R3 MULTI-TRAC TURF	K316M80	92 lbs	\$ 396.00
AMR8987	RT TITN 21.5L-16.1SL R3 STL 8 BLT	K865M60	212 lbs	\$ 1,082.00
MR8954B	F-TIRE 9.50-24 R3 Gdyr All Weather TL	K465M60	113 lbs	\$ 582.00
AMR8938	R-TIRE 18.4-26 R3 (ANS) 17mm holes	K1M182M40	310 lbs	\$ 1,478.00
AMR8526	(3) F-TIRE LSW305-521R3 Grizz LSW Soft Turf	K444M80	113 lbs	\$ 556.00
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	K1M094M40	261 lbs	\$ 1,368.00
INDUSTRIAL				
AMR8788	FT TITN 14-17.5 TLII R4 STL 8BLT	K602M40	155 lbs	\$ 753.00
AMR8907	RT TITN 16.9-24 TLII R4 STL 8BLT	K1M019M20	267 lbs	\$ 1,274.00
AMR8797	F-TIRE 14-17.5 R4 WITH 0.55" INSET	K697M60	168 lbs	\$ 872.00
ALR8917	R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	K963L20	267 lbs	\$ 1,204.00
AG/INDUSTRIAL HYBRID				
AMR8040	F-TIRE LSW320/70R24 GDYR R14T	K640M80	195 lbs	\$ 801.00
AMR8047A	RT TITN 420/75R34 142D R14T 8 BOLT	K1M271M20	422 lbs	\$ 1,589.00
AMR8040	F-TIRE LSW320/70R24 GDYR R14T	K640M80	195 lbs	\$ 801.00
AMR8089	(7) RT TITN 420/75R34 142D R14T CST 8BLT	K2M731M20	949 lbs	\$ 3,414.00

- ① Recommended for loader applications, increases base weight by approx. 1100 lbs.
 ③ For field installation, requires (16) 04512-60140 Spring Washers from Parts Department.
 ④ For field installation, requires (16) [33251-49170] Lug Nuts from Parts Department.
 ⑤ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation
 ⑥ Steering Stops must be adjusted if 60" centers are required.
 ⑦ For field installation, requires (18) 0Y202-50100 Lug Nuts from Parts Department

M4 Series

M4 Standard and Deluxe

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HITCH/DRAWBAR				
HYDRAULIC REAR REMOTE VALVES (Can only have quantity of 3 Total Valves)				
M7610	SCD (Self Canceling Detent)	K764M00	13 lbs	\$ 955.00
M7611	FD (Float Detent)	K754M40	11 lbs	\$ 943.00
M9585	Flow Control Valve Kit (FC)	K552M80	8 lbs	\$ 691.00
M9595	Flow Control + SCD Valve (FC + SCD)	K1M145M60	18 lbs	\$ 1,432.00
REMOTE VALVE LEVER KITS				
M7352	2nd Position Lever Kit for Standard Cab	K156M00	4 lbs	\$ 195.00
M7355	3rd Position Lever Kit	K156M00	3 lbs	\$ 195.00
TOP-N-TILT KIT				
Land Pride Top-N-Tilt Kit			(Order from Land Pride)	
DRAWBAR CLEVIS				
M9594	Drawbar Clevis	K77M60	10 lbs	\$ 97.00
DROP DRAWBAR				
M9201	Drop Drawbar	K133M60	21 lbs	\$ 167.00
TRANSMISSION				
CREEP SPEED KITS				
M9131	Creep Speed Cassette Type	K1M063M20	22 lbs	\$ 1,329.00
DUAL SPEED PTO KITS				
M7357	540/540E Economy PTO for Standard	K1M123M20	72 lbs	\$ 1,404.00
M7367	PTO Change Lever Kit (in Cab) for Standard	K84M00	1 lbs	\$ 105.00
FRONT & REAR AXLE				
FRONT FENDER KIT (SWIVEL TYPE)				
M9290	Fender Mounting Kit Requires Plastic Fenders Not Compatible with Loader Applications	K834M40	68 lbs	\$ 1,043.00
M9208	Plastic Fenders Includes two 14.9" wide Fenders Requires Fender Mounting Kit	K118M40	7 lbs	\$ 148.00
REAR FENDER EXTENSION KIT				
M9204	Rear Fender Extension Kit for M4 Series Tractors	K382M40	22 lbs	\$ 478.00
REAR AXLE SPACER KIT				
M9564	Rear Axle Space Kit, adds 2 inches per side Provides 72" spacing with Ag Tires	K1M192M80	52 lbs	\$ 1,491.00

M4 Series

M4 Standard and Deluxe

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
CAB ACCESSORIES				
M7649	Rear Window Wiper Kit	K258M40	4 lbs	\$ 323.00
M9129	Instructor Seat Kit for Standard Model	K612M80	23 lbs	\$ 766.00
M9270	Air Ride Seat Suspension Kit Requires Wire Harness (M9205)	K607M20	49 lbs	\$ 759.00
M9205	Air Ride Seat Wire Harness	K24M00	1 lbs	\$ 30.00
M7387	Elec-Defogger Kit	K544M80	60 lbs	\$ 681.00
M9128	Interior Rear View Mirror	K48M80	2 lbs	\$ 61.00
M7366	Mid Mount Halogen Work Light Kit for Standard	K381M60	7 lbs	\$ 477.00
M7377	Mid Mount LED Work Light for Deluxe	K552M80	7 lbs	\$ 691.00
	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long	(Order from Parts Department)		
JENSEN RADIO OPTIONS				
	Radio, AM/FM/WB/AUX	(Order from Parts Department)		
	Radio, AM/FM/WB/AUX/USB/IPOD/SAT	(Order from Parts Department)		
	Radio, AM/FM/WB/AUX/USB/IPOD/SAT/CD/Bluetooth	(Order from Parts Department)		

ADDITIONAL ACCESSORIES

BLOCK HEATER					
	Block Heater	(Order from Parts Department)			
CCV Heater M3130	CCV Heater Kit, M4	K462M70	22 lbs	\$	661.00
Backup Alarm					
	Backup Alarm Kit	(Order from Parts Department)			
Beacon Light					
	LED Beacon Light Kit	(Order from Parts Department)			
GRILL GUARD M6872	Grill Guard Kit (Standard with Loader) Compatible with M8075 front bumper weight Not Compatible with M1875A front weight bracket	K260M00	57 lbs	\$	325.00
EXTERNAL 3 POINT M7375		External 3 Point Bracket Kit	K109M60	3 lbs	\$ 137.00
M7385	External 3 Point Contoller and Wire Kit	K155M20	4 lbs	\$	194.00
REPLACEMENT CAB					
M7077	Replacement Cab	K8M648M00	1000 lbs	\$	10,810.00

KubotaNOW TELEMATICS

Each order will require the DCU6770 modem and wiring harness as listed below:				
DCU6770	AT&T Telematics Modem	0	1 lbs	\$ 490.00
M6712	M Series Telematics Harness	K141M60	1 lbs	\$ 177.00
	KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525			

M4 Series

M4 Standard and Deluxe

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
BALLAST				
FRONT WEIGHT BUMPER				
M8075	Front Weight Bumper (230 lbs. each) Requires Bolt Kit Up to 10 Front Suitcase Weights	K616M80	223 lbs	\$ 771.00
M1875A	Front Weight Bracket Kit Not Compatible with Loader	K235M20	63 lbs	\$ 294.00
FRONT SUITCASE WEIGHTS				
M8079	Suitcase Weight (105 lbs. Each) Requires Front Weight Bumper and Bolt/Bar Kit	K109M60	102 lbs	\$ 137.00
FRONT WEIGHT BOLT/BAR KITS				
M8076	Front Bumper Bolt Kit for M8075	K65M60	4 lbs	\$ 82.00
M8073A	Bolt/Bar Kit for M8075 One Kit per 10 Front Suitcase Weights	K70M40	10 lbs	\$ 88.00
REAR WHEEL WEIGHTS				
LM8124	Rear Wheel Weight Kit (103 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 24" or 26" Steel Dish Wheels Not Compatible with Turf Tires	K414M40	103 lbs	\$ 518.00
M8126A	Rear Wheel Weight Kit (164 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 28", 30", and 34" Wheels	K486M40	164 lbs	\$ 608.00
REAR WHEEL WEIGHT BOLT KITS				
M8119B	Bolt Kit for 1st Set of M8126A Weights on Cast	K31M20	6 lbs	\$ 39.00
LM8125A	Bolt Kit for 1st Wheel Weight Kit on Steel Dish Wheels	K69M60	5 lbs	\$ 87.00
M8127B	Bolt Kit for 2nd and 3rd Set of M8126A Weights Required for 2nd & 3rd Set on ALL Steel Dish Wheels Required for 2nd Set on Cast Dish Wheels	K28M80	6 lbs	\$ 36.00
M8121A	Bolt Kit for 2nd and 3rd Set of LM8124 Weights One Bolt Kit per Weight Set	K33M60	8 lbs	\$ 42.00
BALLAST BOX				
M8180	Ballast Box - 3-Point Mount 1280 lbs. Capacity with Dry Sand (13 cu. ft.)	K722M40	220 lbs	\$ 903.00

M4 Series

M4 Standard and Deluxe

FRONT END LOADER

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT END LOADER				
LA1154A	Front Loader (2 Lever Type Quick Coupler) Includes Mounting Kit, Parking Stands, Quick Coupler, and Grill Guard DOES NOT INCLUDE VALVE or BUCKET must be ordered separately	K5M650M40	1543 lbs	\$ 7,063.00

VALVE KITS

M6870	Standard Valve Kit for Cab	K1M078M40	81 lbs	\$ 1,348.00
M6874	Hydraulic Self-Leveling Valve Kit for Cab	K2M037M60	92 lbs	\$ 2,547.00

LOADER ACCESSORY KITS

3RD FUNCTION VALVE				
M6873	3rd Function Valve Kit for Cab		(Order through Land Pride) PIB-2025-029	
SHOCKLESS RIDE				
M6871	KSR (Kubota Shockless Ride) Accumulator	K660M80	47 lbs	\$ 826.00
QUICK CONNECT				
M1869	Hydraulic Quick Connect Single Lever	K764M80	22 lbs	\$ 956.00

QA BUCKETS & ACCESSORIES

M1811	72" 2 Lever QA Bucket	K755M20	400 lbs	\$ 944.00
M1815	84" Bucket High Capacity, 2 Lever QA For Light Material Use	K1M006M40	400 lbs	\$ 1,258.00
L2245A	72" 4-in-1 Bucket Requires 3rd Function Valve	K2M580M00	675 lbs	\$ 3,225.00
M9247	72" Hay Grapple Bucket 4 Tines, 2-Hyd. Cylinders, 2 Lever QA Coupler Requires 3rd Function Valve Requires 2- Hyd. 1/2" QA couplers, .375 fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face)	K5M823M20	1090 lbs	\$ 7,279.00
BUCKET ACCESSORIES				
M1057	Bucket Tine Kit for 72" 2 Lever QA Bucket	K392M80	79 lbs	\$ 491.00
BALE SPEARS				
M1804	Bale Spear 2 Lever Type QA	K820M00	195 lbs	\$ 1,025.00

PALLET FORM FRAME / PALLET FORKS

M1809	Pallet Fork Frame 2 Lever QA Requires 42" or 48" Forks	K760M00	200 lbs	\$ 950.00
K9058	42" Pallet Forks	K520M00	196 lbs	\$ 650.00
K9059	48" Pallet Forks	K542M40	218 lbs	\$ 678.00

M4 Series

M4 Standard and Deluxe

APPROVED ATTACHMENTS

See Website for Landpride Attachments List

Snowblowers

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
THREE POINT MOUNTED SNOWBLOWER				
B/L Series				
BLMX3164	DISCONTINUED		(See Land Pride)	
BL2665	MANUAL CRANK ROTATION KIT Includes crank, hardware and instructions.	K198B40	11 lbs	\$ 248.00
BL2666A ①	HYDRAULIC CHUTE DEFLECTOR for BLMX3164 and LMX3174 with Electric Selector Valve Kit	K1L076L80	22 lbs	\$ 1,346.00
BL6399	HYDRAULIC CRANK ROTATION KIT Includes Hydraulic orbital motor, hoses, couplers and instructions.	K896B00	20 lbs	\$ 1,120.00
L2177	SIDE EXTENSION KIT (Optional for BLMX3164 and LMX3174) Includes 2, Bolt on Side Extensions, hardware and Instructions Cutting width is increased by 5", to 79".	K128L00	27 lbs	\$ 160.00
LMX3174	DISCONTINUED		(See Land Pride)	
M Series				
M2684 ①	DISCONTINUED		(See Land Pride)	

① Requires single section rear hydraulic remote valve on tractor.
② Requires two (2) auxiliary remote valves when equipped with the 3-Part Chute with Hydraulic Deflection (M2894).
③ Requires two (2) auxiliary remote valves when equipped with the 2-Part Chute (M2893 and Hydraulic Deflectio for 2-Part Chute.

MX, M60 and M4 Series
WORKSMART AUTOSTEER

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE	
WORKSMART AUTOSTEER ELECTRONICS					
WS0705	WSA Steer Ready Electronic Bundle Includes GNSS Receiver, Electronic Control Unit & Mechanical Drive Unit	K4M240H00	7 lbs	\$	5,300.00
WORKSMART AUTOSTEER INSTALLATION BUNDLES					
WS0711	MX ROPS Autosteer Installation Bundle Requires WS0705 Steer Ready Electronic Bundle	K960M00	5 lbs	\$	1,200.00
WS0722	MX CAB Autosteer Installation Bundle Requires WS0705 Steer Ready Electronic Bundle	K960M00	5 lbs	\$	1,200.00
WS0719	M5660SU ROPS Autosteer Installation Bundle Requires WS0705 Steer Ready Electronic Bundle	K960M00	12 lbs	\$	1,200.00
WS0714	M6060 ROPS Autosteer Installation Bundle Requires WS0705 Steer Ready Electronic Bundle	K960M00	12 lbs	\$	1,200.00
WS0712	M7060 CAB Autosteer Installation Bundle Requires WS0705 Steer Ready Electronic Bundle	K960M00	5 lbs	\$	1,200.00
WS0713	M4 Autosteer Installation Bundle Requires WS0705 Steer Ready Electronic Bundle	K960M00	5 lbs	\$	1,200.00